

STATISTICAL TABLES

OF THE

PATIENTS UNDER TREATMENT

IN THE WARDS OF

ST. BARTHOLOMEW'S HOSPITAL

DURING 1863.

BY

GEORGE N. EDWARDS, M.D. CANTAB., F.R.C.P.,

ASSISTANT-PHYSICIAN AND MEDICAL REGISTRAR TO THE HOSPITAL;

AND

ALFRED WILLETT, F.R.C.S.,

SURGICAL REGISTRAR TO THE HOSPITAL.

LONDON:

PRINTED BY J. E. ADLARD, BARTHOLOMEW CLOSE.

1864.

R33781

It has been considered advisable to make several alterations in the arrangement of the Tables in the Report for 1863, in consequence of the division of the work of registration since the appointment of a Surgical Registrar. The Summary and other Tables relating to the whole number of Patients in the Hospital have therefore, with a General Nosology, been placed at the commencement, and are followed by separate Tables for the Patients treated in the Medical and Surgical Wards respectively, and in these the names of such diseases only as actually occurred are printed, retaining the order and number prefixed to them in the General Nosology, thus rendering them more easy for reference. Some additional Tables will also be found.

ST. BARTHOLOMEW'S HOSPITAL; *March*, 1864.

NOTE.—In the following tables the cases have, as far as possible, been placed under the primary diseases, as anasarca after scarlatina under scarlatina, strumous diseases under scrofula; but in a few instances, as those of pyæmia and tetanus, this rule has been departed from. The diagnosis is in every case taken from that of the medical officer in charge of the patient. The patients remaining in the Hospital on January 1st, 1864, have not been classified in a separate table, their cases being incomplete, and such table being intended to form part of the Annual Report for 1864.

GENERAL STATEMENT OF THE PATIENTS UNDER TREATMENT DURING 1863.

Patients remaining, January 1st, 1863.

Medical Wards	187		
Surgical Wards	294	...	481

Admitted during the year

Medical Wards	2105		
Surgical Wards	3356	...	5461
						5942

Discharged, cured and relieved

Medical Wards	1543		
Surgical Wards	2906	...	4449

Discharged unrelieved

Medical Wards	96		
Surgical Wards	52	...	148

Discharged for other than medical reasons

Medical Wards	113		
Surgical Wards	123	...	236

Died

Medical Wards	322		
Surgical Wards	235	...	557
						5390

Remaining in Hospital January 1st, 1864...

... 552

Died within 24 hours of admission into the Hospital :

In Medical Wards, 40 ; or 12·42 per cent.

In Surgical Wards—

From disease, 14 ; or 6·96 per cent.

From accident, 40 ; or 17·04 per cent.

Patients brought in dead ... 26

Number of beds in Hospital ... 650

STATEMENT OF DISEASE OCCURRING WITHIN THE HOSPITAL IN PATIENTS
ADMITTED FOR OTHER DISEASES.

Measles	Medical Wards	...	1		Total	1
Scarlatina	Medical	„	3			
			Surgical	„	8	11
Typhus	Medical	„	11	11
Typhoid	Surgical	„	1	1
Erysipelas	Medical	„	3			
			Surgical	„	35	38
Cellular Inflammation			Surgical	„	32	32
Pyæmia	Surgical	„	14	14
Rheumatism		...	Medical	„	1			
			Surgical	„	1	2
Phagedæna	Surgical	„	7	7
Gangrene	Surgical	„	3	3
Tetanus	Surgical	„	1	1
Delirium Tremens	Surgical	„	15	15

In the general tables all these patients are placed under the primary diseases for which they were admitted into the Hospital.

DISEASES.

ORDER I.

1. Smallpox.
2. Chicken-pox.
3. Measles.
4. Scarlatina.
5. Diphtheria.
6. Quinsy.
7. Croup.
8. Continued Fever.
 - (a) Typhus.
 - (b) Typhoid.
 - (c) Relapsing.
 - (d) Remittent.
 - (e) Febricula.
9. Hooping-cough.
10. Diarrhœa.
11. Dysentery.
12. Cholera.
13. Catarrh.
14. Influenza.
15. Ague.
16. Erysipelas.
17. Erythema.
18. Pyæmia.
19. Hospital Gangrene.
20. Metria.
21. Rheumatism.
22. Glanders.
23. Malignant Pustule.
24. Syphilis—
 - (a) Primary.
 - (b) Secondary.
 - (c) Inherited.
25. Gonorrhœa, including Bubo and Phymosis.
26. Purpura.
27. Scurvy.
28. Thrush.
29. Purulent Ophthalmia.
30. Rickets.
31. Bronchocele.
32. Worms.
33. Hydatids.

ORDER II.

1. Gout.
2. Dropsy.
3. Anæmia.
4. Cancer—
 - (a) Of External Organs.
 - (b) Of Internal Organs.
5. Melanosis.
6. Lupus.
7. Fungus Hæmatodes
8. Polypus.
9. Tumours.
10. Mortification.
11. Phagedæna.
12. Bed-sores.
13. Fistula.
14. Scrofula.
15. Psoas Abscess incl. Pelvic.
16. Tabes Mesenterica.
17. Tubercular Peritonitis.
18. Phthisis.
19. Hydrocephalus.

ORDER III.

1. Meningitis.
2. Encephalitis.

3. Myelitis.
4. Apoplexy.
5. Paralysis.
 - (a) Hemiplegia.
 - (b) Paraplegia.
6. Paralysis Agitans.
7. Chorea.
8. Epilepsy.
9. Tetanus.
10. Hysteria.
11. Convulsions.
12. Insanity.
13. Laryngismus Stridulus.
14. Neuralgia.
15. Neuroma.
16. Disease of Brain.
17. Delirium Tremens.
18. Disease of Spinal Cord.
19. Conjunctivitis.
20. Amaurosis.
21. Cataract.
22. Iritis.
23. Corneitis.
24. Disease of Eye.
25. Disease of Ear.

ORDER IV.

1. Carditis.
2. Pericarditis.
3. Endocarditis, including Valvular Disease.
4. Hypertrophy of Heart.
5. Fatty Degeneration of Heart.
6. Disease of Heart.
7. Aneurism of Aorta.
8. Do. of other Arteries.
9. Angina Pectoris.
10. Arteritis.
11. Disease of Arteries.
12. Phlebitis.
13. Disease of Veins.
14. Nævus.

ORDER V.

1. Epistaxis.
2. Hæmoptysis.
3. Laryngitis.
4. Edema of Glottis.
5. Bronchitis.
6. Pleurisy—
 - (a) Hydrothorax.
 - (b) Empyema.
7. Congestion of Lungs.
8. Pneumonia.
9. Pleuro-pneumonia.
10. Asthma.
11. Emphysema.
12. Disease of Lungs.

ORDER VI.

1. Stricture of Oesophagus.
2. Teething.
3. Stomatitis—
 - (a) Glossitis.
4. Gastritis.
5. Enteritis.
6. Colitis.

7. Peritonitis.
8. Constipation (Ileus).
9. Intussusception.
10. Stricture of Intestines.
11. Ulceration of Intestines.
12. Perforation of Intestines.
13. Hernia—
 - (a) Femoral
 - (b) Inguinal
 - (c) Otherwise.
14. Dyspepsia.
15. Pyrosis.
16. Chronic Vomiting.
17. Hæmatemesis.
18. Mæna.
19. Hæmorrhoids.
20. Disease of Stomach.
21. Disease of Pancreas.
22. Disease of Spleen.
23. Disease of Liver.
24. Jaundice.
25. Hepatitis.
26. Cirrhosis.
27. Gallstones.
28. Ascites.
29. Colic.
30. Lead Poisoning.

ORDER VII.

1. Nephritis.
2. Albuminuria.
3. Ischuria.
4. Diuresis.
5. Diabetes.
6. Disease of Kidneys.
7. Hæmaturia.
8. Stone.
9. Gravel.
10. Cystitis.
11. Disease of Prostate Gland.
12. Stricture of Urethra.
13. Extravasation of Urine.
14. Incontinence of Urine.

ORDER VIII.

1. Varicocele.
2. Orchitis.
3. Hydrocele.
4. Hæmatocele.
5. Disease of Testicle.
6. Disease of Male Generative Organs.
7. Metritis.
8. Ovarian Dropsy.
9. Ovarian Tumour.
10. Disease of Ovaries.
11. Uterine Tumour.
12. Uterine Polypus.
13. Recto-vesical Fistula.
14. Vesico-vaginal Fistula.
15. Recto-vaginal Fistula.
16. Disord. of Menstruation.
17. Disease of Uterus.
18. Disease of Female Generative Organs.

ORDER IX.

1. Synovitis.
2. Periostitis.
3. Exostosis.
4. Caries.
5. Necrosis.
6. Disease of Bone.
7. Curvature of Spine.
8. Disease of Joints.
9. Muscular Atrophy.

ORDER X.

1. Carbuncle.
2. Boil.
3. Abscess.
 - (a) Chronic.
4. Ulcer.
5. Disease of Skin.
6. Roseola.
7. Urticaria.
8. Eczema.
9. Herpes.
10. Lepra.
11. Porrigo.
12. Scabies.
13. Pemphigus.
14. Rupia.
15. Ecthyma.
16. Impetigo.
17. Acne.
18. Mentagra.
19. Lichen.
20. Prurigo.
21. Psoriasis.
22. Pityriasis.
23. Ichthyosis.
24. Phlegmon.
25. Whitlow.
26. Erythema Nodosum.
27. Gangrena Senilis.

ORDER XI.

1. Intemperance.
2. Privation.
3. Neglect.
4. Cold.
5. Malformations.
6. Deafness.
7. Old Age.
8. Debility.
9. Poison.
10. Violence and Injury—
 - (a) Burns and Scalds.
 - (b) Contusions.
 - (c) Sprains.
 - (d) Gunshot Wounds.
 - (e) Lacerations of Limbs.
 - (f) Wounds.
 - (g) Concussions.
 - (h) Fractures—
 - Simple.
 - Compound.
 - (k) Dislocations—
 - Simple.
 - Compound.
11. Suffocation.
12. Drowning.
13. Suicide.

STATEMENT OF THE OCCUPATIONS OF PATIENTS ADMITTED DURING 1863.

Male Patients.		Female Patients.	In General Wards.	In Venereal Wards.
Artists, Musicians, &c.	11	Ballet Girls	—	3
Bakers	18	Bookfolders	13	
Bargemen	30	Boxmakers	13	
Bookbinders	12	Brush-drawers	3	
Brass-finishers, &c.	24	Charwomen	56	
Brewers' Servants	28	Domestic (married)	583	38
Bricklayers	56	Flower-makers	13	1
Butchers	40	French-polishers	3	1
Cab-drivers	50	Governesses	7	
Carmen	86	Lead-workers	2	
Carpenters and workers in Wood	199	Laundresses	62	3
Cigar-makers	11	Hawkers	22	1
Coalheavers	13	Needlewomen	157	16
Cooks	13	Nurses (Hospital)	34	
Clerks in Holy Orders	2	„ (otherwise)	16	
Clerks	58	Organist	1	
Curriers and Leather-workers ...	28	Paper-stainers	2	
Dyers	3	Prostitutes	6	266
Drovers	9	Servants	469	28
Engineers	32	Shopwomen	12	
Firemen	1	Weaveresses	2	
Fishmongers	7	Of no occupation	65	5
French-polishers	12			
Gardeners	20			
Gas Workers	15			
Grooms and Ostlers	36			
Hawkers	67			
Hairdressers	10			
Hatters	5			
Hospital Servants	2			
Labourers	488			
Lead Workers	15			
Lithographers, &c.	3			
Masons	17			
Mechanics not otherwise noted ...	191			
Medical	8			
Miners	1			
Painters	40			
Paper-stainers	4			
Policemen	14			
Porters	113			
Potmen	29			
Printers	67			
Pugilists	2			
Sailors	65			
Sawyers	19			
Shoemakers	70			
Shopmen	84			
Smiths and Ironworkers	51			
Soldiers	15			
Solicitor	1			
Stockbroker	1			
Sweeps	10			
Tailors	32			
Teachers	4			
Typefounders	6			
Veterinary-surgeons	6			
Waiters and Male Servants	39			
Watchmen	5			
Weavers	8			

MEDICAL REPORT.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

PATIENTS REMAINING IN HOSPITAL, JANUARY 1st, 1863.

DISEASES.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
ORDER I.																									
1. Smallpox																									
2. Chicken-pox																									
3. Measles.....																									
4. Scarlatina	1	1	2	2	...	1	2	1	5	5	10	
5. Diphtheria																									
6. Quinsy																									
7. Croup	1	1	...	1	
8. Continued Fever	1	1	...	1	
(a) Typhus	1	5	...	1	1	1	8	1	9		
(b) Typhoid.....	1	...	1	1	2	1	3		
(d) Remittent	
(e) Febricula	1	2	1	1	2	3	5		
9. Hooping-cough																									
10. Diarrhoea	1	1	...	1	1	
11. Dysentery	1	1	...	1	1	
12. Cholera.....																									
13. Catarrh																									
14. Influenza																									
15. Ague	1	1	...	1	1	
16. Erysipelas	2	2	...	2	
17. Erythema	
18. Pyæmia.....																									
20. Metria																									
21. Rheumatism	1	1	...	9	12	4	2	4	2	18	17	35	35	
24. Syphilis—																									
(b) Secondary.....	1	1	1	2	1	3	3	
26. Purpura																									
27. Scurvy																									
32. Worms																									
33. Hydatids	1	1	...	1	
ORDER II.																									
1. Gout	1	1	2	...	2	2	
2. Dropsy	1	1	1	1	2	2	
3. Anaemia	1	1	1	1	2	2	
4. Cancer—																									
(b) Of Int. Organs																									
9. Tumours	1	1	...	1	1	
12. Bed-sores																									
14. Scrofula	1	1	1	1	
15. Psoas Abscess, incl. Pelvic	2	2	...	2	2	
17. Tubercular Peritonitis	
18. Phthisis	2	1	1	3	3	3	9	4	13	13	
19. Hydrocephalus.....																									

TABLE I (continued).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III.																									
1. Meningitis																									
2. Encephalitis																									
4. Apoplexy																									
5. Paralysis																									
(a) Hemiplegia													1				1	1	1					1	3
(b) Paraplegia									1	1		1		3										5	1
6. Paralysis Agitans													1											1	
7. Chorea			1	2		2																		1	
8. Epilepsy								1			1	1												1	4
10. Hysteria								1																1	2
11. Convulsions																									1
12. Insanity																									
14. Neuralgia																									
16. Disease of Brain									1	1				1										1	2
17. Delirium Tremens									1				2											3	
ORDER IV.																									
2. Pericarditis						1																		1	1
3. Endocarditis, incl. Val- vular Disease													1											1	1
4. Hypertrophy of Heart													1												
6. Disease of Heart					1					1														1	1
7. Aneurism of Aorta																									2
ORDER V.																									
1. Epistaxis																									
2. Hæmoptysis																									
3. Laryngitis																									
5. Bronchitis	1					1	1				1	3	2	2	1	2								9	5
6. Pleurisy											1													1	14
(a) Hydrothorax																									
(b) Empyema							1																	1	1
8. Pneumonia				1	1		1	1	1															3	5
9. Pleuro-pneumonia							1		3															4	4
11. Emphysema							1																	1	1
ORDER VI																									

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER VII.																									
2. Albuminuria	2	...	2	1	4	1	5
5. Diabetes	1	1	1
6. Disease of Kidneys
7. Hæmaturia
ORDER VIII.																									
4. Hæmatocele	1	1	1
7. Metritis
8. Ovarian Dropsy
9. Ovarian Tumour
10. Disease of Ovaries
11. Uterine Tumour
12. Uterine Polypus
16. Disord.of Menstruation	1	...	1	2	2
17. Disease of Uterus, &c.	2	...	5	...	2	9	9
ORDER IX.																									
2. Periostitis.....
ORDER X.																									
3. Abscess
5. Disease of Skin
6. Roseola
8. Eczema
9. Herpes
12. Scabies
20. Prurigo.....
21. Psoriasis	1	1	1
ORDER XI.																									
1. Intemperance
2. Privation
8. Debility.....	1	2	...	2	1	4	5
9. Poison
Diseases not classed	1	1	1	1	1	4	1	5
TOTAL	3	1	4	7	5	5	30	31	20	16	17	18	15	6	3	1	4	1					101	86	187

TABLE II.

PATIENTS ADMITTED DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years.		5-10.		10-15.		15-25.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER I.																									
1. Smallpox	1	...	2	1	3	1	4
2. Chicken-pox	1	1	...	1
3. Measles	1	1	1	2	1	3	
4. Scarletina	7	14	20	19	10	10	10	15	...	2	47	60	107	
5. Diphtheria	2	1	1	3	1	4	
6. Quinsy	1	3	3	4	1	2	...	1	5	10	15	
7. Croup	4	6	1	6	5	12	17	
8. Continued Fever	2	2	1	2	2	...	2	1	...	1	6	7	13	
(a) Typhus	1	3	2	15	7	4	4	5	2	3	3	1	30	20	50	
(b) Typhoid	2	2	7	2	8	9	6	5	23	18	41	
(d) Remittent	1	1	...	1	
(e) Febricula	3	2	3	1	10	15	5	7	1	4	22	29	51	
9. Hooping-cough	1	2	1	2	2	4	
10. Diarrhœa	1	1	1	2	1	3	...	1	2	8	10	
11. Dysentery	1	...	1	...	3	...	1	1	6	1	7	
12. Cholera	1	1	1	2
13. Catarrh	1	1	2	2	4
14. Influenza	1	1	...	1	3	3	6
15. Ague	2	2	...	2	4
16. Erysipelas	1	...	2	2	8	2	7	3	3	6	...	2	1	2	18	21	39	
17. Erythema	1	2	...	3	1	1	6	7	
18. Pyæmia	1	1	...	1	1	1	2	
20. Metria	1	...	1	2	2	4
21. Rheumatism	1	3	7	12	20	75	65	40	28	27	16	14	9	3	3	2	1	176	150	326	
24. Syphilis—
(b) Secondary	5	1	5	1	10	2	12	
26. Purpura	1	1	...	1	1	1	2	3	5	
27. Scurvy	1	1	...	1	2
32. Worms	1	...	1	...	1	3	3	6
33. Hydatids	3	3	...	3
ORDER II.																									
1. Gout	2	...	5	7	...	7	14
2. Dropsy	1	2	...	2	1	1	...	1	2	7	3	10	
3. Anæmia	5	...	2	...	1	1	9	...	9
4. Cancer—
(b) Of Int. Organs	2	3	2	9	2	6	1	5	1	1	8	24	32	
9. Tumours	1	...	1	...	1	3	...	3
12. Bed-sores	1	1	1
14. Scrofula	1	1	1	1	2	...	3
15. Psoas Abscess, incl. Pelvic	1	1	1	1	...	2
17. Tubercular Peritonitis	1	...	1	1	1	3	1	...	4
18. Phthisis	3	1	2	2	21	19	20	25	16	7	10	1	3	75	55	13	
19. Hydrocephalus	1	...	1	1	2	1	...	3

TABLE II (continued).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III.																									
1. Meningitis			1		1	1	1		2														5	1	6
2. Encephalitis							1																1		1
4. Apoplexy													2	1	2	3	1						5	4	9
5. Paralysis								1		3						2		1							7
(a) Hemiplegia					1	1		2	1		2	3	6	2	3	4		2					13	14	27
(b) Paraplegia							2	1	1	3	2	2	3	1			1						8	8	16
6. Paralysis Agitans													1	1									1	1	2
7. Chorea			2	6	2	7	2	7															6	20	26
8. Epilepsy	1	1		2	4	4	3	3	7	4	4	3	3		2	1							24	18	42
10. Hysteria							1	8		4													1	12	13
11. Convulsions	1	1																					1	1	2
12. Insanity							1	1			1												2	1	3
14. Neuralgia								2	1	2	1		4	2	2								8	6	14
16. Disease of Brain			1					1	1		4	1			2								8	2	10
17. Delirium Tremens									2		4		3										9		9
ORDER IV.																									
2. Pericarditis																									
3. Endocarditis, incl. Val- vular Disease			1	2	1	3	1	2	2	1	3		1										9	8	17
4. Hypertrophy of Heart									1														1		1
6. Disease of Heart					2	1	4	9	3	8	6	5	6	6	2	2	1	1					24	32	56
7. Aneurism of Aorta									2	1	3	1			2								7	2	9
ORDER V.																									
1. Epistaxis								1				1												2	2
2. Hæmoptysis				1		1	4	1	5	2		3	1	1		1							16	6	22
3. Laryngitis			3							1													3	1	4
5. Bronchitis	4	1	6	2		1	5	8	7	5	10	6	9	6	2	4	2	2					45	35	80
6. Pleurisy			1			1	1		2	1	1	1											5	3	8
(a) Hydrothorax						1		4			1	1	2		1								10	1	11
(b) Empyema									1	1		1											2	1	3
8. Pneumonia		2	1	3	2	3	9	7	10	3	6	2	4	4	3								35	24	59
9. Pleuro-pneumonia					1	1	5	1	10		1	1	3			1							21	3	24
11. Emphysema									2														2		2
ORDER VI.																									
3. Stomatitis						1																		1	1
4. Gastritis						1				2													1	2	3
5. Enteritis			1				1			1				1									2	2	4
6. Colonitis						1									1								1		1
7. Peritonitis			1		1		2	3		1	1	1					2						5	7	12
8. Constipation (fleus)				1	2		7	2	1		1	1	1		1								12	5	17
11. Ulceration of Intestines									1								1						1	1	2
12. Perforation of Intes- tines							1					1											1	1	2
14. Dyspepsia							1				1	3	1			1							4	3	7
16. Chronic Vomiting								2	1						1								2	2	4
17. Hæmatemesis								1	1	2			1	1									2	4	6
18. Melæna										1			1			1							1	2	3
20. Disease of Stomach													1											1	1
22. Disease of Spleen								1																1	1
23. Disease of Liver								1	2	1	1					1							3	3	6
24. Jaundice		1						3		4		1	1										1	9	10
25. Hepatitis							1	1				1	1	1									2	3	5
26. Cirrhosis											1												1		1
28. Ascites									1		4	1	1	1			1						7	2	9
29. Colic			1		1	1			1		1												4	1	5
30. Lead Poisoning							2		1		3	1			1								7	1	8

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER VII.																									
2. Albuminuria.....	2	1	6	2	6	3	6	7	7	4	6	1	33	18	51
5. Diabetes	2	...	1	...	1	4	...	4
6. Disease of Kidneys	1	1	1
8. Hæmaturia	1	1	...	1
ORDER VIII.																									
4. Hæmatocele	1	1	1
7. Hysteritis	4	...	4	...	4	12	12	12
8. Ovarian Dropsy	1	...	3	...	3	1	1	6	6	6
9. Ovarian Tumour	1	...	2	...	5	...	1	...	1	1	11	11	11
10. Disease of Ovaries	1	...	3	...	1	1	1	1
11. Uterine Tumour	1	2	5	5	5
12. Uterine Polypus	2	...	2	...	5	9	9	9
16. Disord.of Menstruation	8	...	4	...	4	16	16	16
17. Disease of Uterus, &c.	25	...	58	...	33	...	6	...	2	...	1	...	1	126	126	126
ORDER IX.																									
2. Periostitis	1	1	1	1
ORDER X.																									
3. Abscess.....	1	...	1	...	2	2	2	4
5. Disease of Skin	1	1	1	1
6. Roseola.....	1	...	1	2	2	2	2
8. Eczema.....	1	1	...	1
9. Herpes	1	1	1	1
12. Scabies	1	1	1	1
20. Prurigo	1	1	...	1
21. Psoriasis	1
ORDER XI.																									
1. Intemperance	1	...	1	2	5	2	1	1	...	1	1	...	1	10	6	16
2. Privation	2	2	2
8. Debility	2	2	4	1	5	3	3	3	2	1	...	1	...	1	10	17	27
9. Poison	2	...	2	1	2	7	...	3	4	1	3	1	...	1	13	14	27
Diseases not classed	2	1	2	1	...	2	4	...	1	4	3	6	12	14	26
TOTAL	26	35	62	62	69	80	231	291	181	244	147	155	115	73	46	39	13	16	...	2	890	997	1887
Remaining January 1st, 1864	107	111	218
Total	997	1108	2105

TABLE III.

PATIENTS DISCHARGED CURED AND RELIEVED DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85		Total.		Grand Total.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
ORDER I.																										
1. Smallpox									1														1		1	
2. Chicken-pox																							1		3	
3. Measles.....	1	1					1																2	1	3	
4. Scarlatina.....	4	11	16	18	8	10	11	14		2													39	55	94	
5. Diphtheria	1							1	1														2	1	3	
6. Quinsy			1			3	3	4	1	2		1											5	10	15	
7. Croup	1	5	1	3																			2	8	10	
8. Continued Fever				2	3	1	2	2		2			1		1								7	7	14	
(a) Typhus	1			1	3	2	19	7	2	4	2	1	2	2									29	17	46	
(b) Typhoid.....				2	2	7	2	9	8	5	6												23	18	41	
(d) Remittent				1																			1		1	
(e) Febricula			3	2	3	1	10	16	5	7	2	5											23	31	54	
9. Hooping-cough		2																						2	2	
10. Diarrhœa		1							1	2	1	3	1	1									3	7	10	
11. Dysentery.....									2		1		2		1	1							6	1	7	
12. Cholera.....																										
13. Catarrh.....		1									1													2	2	
14. Influenza								1					1		1									3	3	
15. Ague.....											1		2										3		3	
16. Erysipelas			1			2	2	10	2	7	3	3	6		2		2						18	22	40	
17. Erythema					1			2		3			1										1	6	7	
18. Pyæmia.....																										
20. Metria							1		1															2	2	
21. Rheumatism		1	3	8	13	19	83	75	40	30	30	17	14	7	2	3	2	1					187	161	348	
24. Syphilis—																										
(b) Secondary.....							6	2	4	1													10	3	13	
26. Purpura					1			1			1	1											2	2	4	
27. Scurvy															1								1		1	
32. Worms						1		1		1														3	3	
33. Hydatids								2																2	2	
ORDER II.																										
1. Gout.....											3		5		1								9		9	
2. Dropsy								1	2			1			1	2							3	4	7	
3. Anæmia								6		2		1					1						1	9	10	
4. Cancer—																										
(b) Of Int. Organs									1	1	1	3	1	2		2							3	8	11	
9. Tumours										1	1			1									1	2	3	
12. Bed-sores											1												1		1	
14. Scrofula				2																				2	2	
15. Psoas Abscess, incl. Pelvic							1				2	1											3	1	4	
17. Tubercular Peritonitis											2	1											3			
18. Phthisis			2	1	2	2	7	5	11	12	9	4	1										32	24	56	
19. Hydrocephalus.....																										

TABLE III (continued).

DISEASES.	Under 5 Years.		5-10.		10-15.		15-25.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III.																									
1. Meningitis								1		3						2		1						...	7
2. Encephalitis								2			2	4	6	1	3	1							11	10	21
4. Apoplexy																							9	3	12
5. Paralysis																									
(a) Hemiplegia							1		2		1	1	4										9	3	12
(b) Paraplegia							2	1	1	1	2	1	4										2	1	3
6. Paralysis Agitans													2	1									6	23	29
7. Chorea			3	8	2	8	1	7															6	23	29
8. Epilepsy	1	1		2	4	2	2	3	5	3	4	3	2		3	1							21	15	36
10. Hysteria							1	9		2													1	11	12
11. Convulsions	1																						1		1
12. Insanity																									
14. Neuralgia								2	1	2	1		4	2	2								8	6	14
16. Disease of Brain										1	2	1											2	2	4
17. Delirium Tremens									3		2		4										9		9
ORDER IV.																									
2. Pericarditis																									
3. Endocarditis, incl. Val- vular Disease			1	1	1	1				1		1	1										3	4	7
4. Hypertrophy of Heart									1														1		1
6. Disease of Heart					2	1	2	3		3	3	2	3	1									10	10	20
7. Aneurism of Aorta									1	1	2	1											3	2	5
ORDER V.																									
1. Epistaxis								1				1												2	2
2. Hæmoptysis				1		1	3	1	5	2	2		3	1	1								14	6	20
3. Laryngitis			3							1													3	1	4
5. Bronchitis	4	1	5	1		2	5	6	2	4	7	6	4	6	4		2	1					33	27	60
6. Pleurisy			1			1	1		2	2	1	1											5	4	9
(a) Hydrothorax						1	3		1		1		1		1								8		8
(b) Empyema							1				1												2		2
8. Pneumonia		1	1	3	3	3	9	6	9	3	2	1	1	1									25	18	43
9. Pleuro-pneumonia					1	1	6	1	13			1	3										23	3	26
11. Emphysema							1		2														3		3
ORDER VI.																									
3. Stomatitis						1		1																2	2
4. Gastritis						1				1													1	1	2
5. Enteritis							1			1				1									1	2	3
6. Colinitis							1																1		1
7. Peritonitis						1		2		1		1											1	4	5
8. Constipation (Ileus)				1	2		7	2		1	1	1	1			1							11	6	17
11. Ulceration of Intestines																									
12. Perforation of Intes- tines																									
14. Dyspepsia							1			1	3	1				1							4	3	7
16. Chronic Vomiting								2	1						1								2	2	4
17. Hæmatemesis								1		2			1	1									1	4	5
18. Melæna										1						1								2	2
20. Disease of Stomach																									
22. Disease of Spleen																									
23. Disease of Liver									2		1					1							3	1	4
24. Jaundice		1						3		2			1										1	6	7
25. Hepatitis							1	1					1	1									2	2	4
26. Cirrhosis									1		3	1	1					1					6	1	7
28. Ascites																									
29. Colic			1		1	1			1		1												4	1	5
30. Lead Poisoning							2		1		3	1			1								7	1	8

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER VII.																									
2. Albuminuria	1	...	3	...	5	2	2	2	5	4	5	1	21	9	30
5. Diabetes	1	1	2	2
6. Disease of Kidneys
7. Hæmaturia	1	1	1
ORDER VIII.																									
4. Hæmatocele	1	...	1	2	2
7. Metritis	4	...	4	...	4	12	12	12
8. Ovarian Dropsy	1	...	3	1	5	5	5
9. Ovarian Tumour	1	3	...	1	...	1	1	7	7	7
0. Disease of Ovaries
1. Uterine Tumour	2	...	2	...	3	7	7	7
2. Uterine Polypus	4	...	4	...	2	10	10	10
6. Disord. of Menstruation	22	...	46	...	25	...	5	...	2	...	1	...	1	102	102	102
7. Disease of Uterus, &c.
ORDER IX.																									
2. Periostitis.....	1	1	1	1
ORDER X.																									
3. Abscess	1	1	1	1	2
5. Disease of Skin	2	2	2
6. Roseola	1	...	1	2	2	2
8. Eczema	1	1	1
9. Herpes	1	1	1	1
2. Scabies	1	1	1	1
0. Prurigo
1. Psoriasis
ORDER XI.																									
1. Intemperance	1	...	1	2	5	2	1	1	...	1	1	...	1	10	6	16	
2. Privation	1	1	1	1
8. Debility.....	1	2	4	2	7	2	5	3	2	1	1	10	21	31	
9. Poison	2	...	1	1	2	7	...	3	2	1	2	1	9	13	22	
Diseases not classed	1	...	1	2	2	2	2	4	1	7	8	15	
TOTAL	16	27	48	58	64	74	216	264	144	200	113	117	85	46	31	21	10	7	...	2	727	816	1543

PATIENTS DISCHARGED UNRELIEVED DURING 1863.

[illegible]

DISEASES.	Under 5 Years.		5-10.		10-15.		15-25.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III.																									
Meningitis																									
Encephalitis																									
Apoplexy																									
Paralysis																									
(a) Hemiplegia					1								1		2		1						1	4	5
(b) Paraplegia									1	1	1		1										3	1	4
Paralysis Agitans																									
Chorea							1																1		1
Epilepsy						2						1												3	3
Hysteria																									
Convulsions																									
Insanity								1																1	1
Neuralgia																									
Disease of Brain			1								1													2	2
Delirium Tremens																									
ORDER IV.																									
Pericarditis																									
Endocarditis, incl. Val- vular Disease							1	1			1												2	1	3
Hypertrophy of Heart																									
Disease of Heart								1	1	1					1								1	3	4
Aneurism of Aorta																									
ORDER V.																									
Epistaxis																									
Hæmoptysis																									
Laryngitis																									
Bronchitis										1	2		1										3	1	4
Pleurisy																									
(a) Hydrothorax																									
(b) Empyema																									
Pneumonia																									
Pleuro-pneumonia																									
Emphysema																									
ORDER VI.																									
Stomatitis																									
Gastritis																									
Enteritis																									
Colonitis																									
Peritonitis																									
Constipation (Ileus)																									
Ulceration of Intestines																									
Perforation of Intes- tines																									
Dyspepsia														1										1	1
Chronic Vomiting																									
Hæmatemesis									1														1		1
Melæna																									
Disease of Stomach																									
Disease of Spleen																									
Disease of Liver																									
Jaundice										2		1												3	3
Hepatitis																									
Cirrhosis																									
Ascites																									
Colic																									
Lead Poisoning																									

TABLE IV (continued).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER VII.																									
2. Albuminuria.....	2	...	1	...	2	...	1	6	...	6
5. Diabetes
6. Disease of Kidneys
8. Hæmaturia
ORDER VIII.																									
4. Hæmatocele
7. Hysteritis
8. Ovarian Dropsy
9. Ovarian Tumour	1	...	2	3	3
10. Disease of Ovaries	2	2	2
11. Uterine Tumour	2	2	2
12. Uterine Polypus	2	2
16. Disord.of Menstruation	1	...	1	2	2
17. Disease of Uterus, &c.	3	...	3	...	4	...	1	11	11
ORDER IX.																									
2. Periostitis
ORDER X.																									
3. Abscess.....	1	1	1	1	2
5. Disease of Skin
6. Roseola.....
8. Eczema.....	1	1	...	1
9. Herpes
12. Scabies
20. Prurigo	1	1	...	1
21. Psoriasis
ORDER XI.																									
1. Intemperance
2. Privation
8. Debility
9. Poison
Diseases not classed
TOTAL	1	...	2	2	6	13	9	16	7	16	9	6	3	5	...	1	37	59	96

TABLE V.

PATIENTS DISCHARGED FOR OTHER THAN MEDICAL REASONS DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
ORDER I.																										
1. Smallpox					1		2	1															3	1	4	
2. Chicken-pox																						
3. Measles.....																										
4. Scarlatina																										
5. Diphtheria																										
6. Quinsy																										
7. Croup																										
8. Continued Fever																										
(a) Typhus																										
(b) Typhoid.....																										
(d) Remittent																										
(e) Febricula	1	1	1	1	2	
9. Hooping-cough																										
10. Diarrhoea		1	1	1	
11. Dysentery																										
12. Cholera.....																										
13. Catarrh																										
14. Influenza																										
15. Ague.....																										
16. Erysipelas																										
17. Erythema.....																										
18. Pyæmia.....																										
20. Metria																										
21. Rheumatism	1	2	2	...	1	2	1	5	4	9	
24. Syphilis—																										
(b) Secondary.....																										
26. Purpura																										
27. Scurvy																										
32. Worms																										
33. Hydatids																										
ORDER II.																										
1. Gout																										
2. Dropsy					1	1	...	1	
3. Anæmia																										
4. Cancer—																										
(b) Of Int. Organs					1	1	...	1	
9. Tumours																										
12. Bed-sores																										
14. Scrofula	1	1	1	1	2	
15. Psoas Abscess, incl. Pelvic																										
17. Tubercular Peritonitis	1	...																	1	...	1	
18. Phthisis				2	2	...	2	1	4	3	7	
19. Hydrocephalus.....	1	1																1	1		2	

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER VII.																									
2. Albuminuria	1	1	1	1	1	2
5. Diabetes	1	1	...	1
6. Disease of Kidneys
7. Hæmaturia
ORDER VIII.																									
4. Hæmatocele	2	2	2
7. Metritis
8. Ovarian Dropsy
9. Ovarian Tumour
10. Disease of Ovaries
11. Uterine Tumour	2	2	2	2
12. Uterine Polypus
16. Disord. of Menstruation	4	2	6	6	6
17. Disease of Uterus, &c.	10	...	8	...	2	20	20	20
ORDER IX.																									
2. Periostitis.....
ORDER X.																									
3. Abscess	1	1	1
5. Disease of Skin	1	1
6. Roseola
8. Eczema
9. Herpes
12. Scabies
20. Prurigo.....
21. Psoriasis	1	1	1
ORDER XI.																									
1. Intemperance
2. Privation
8. Debility.....	1	1	...	1
9. Poison	1	...	1	2	...	2
Diseases not classed	2	1	1	1	2	...	2	2	1	3	1	9	7	16	
TOTAL	3	2	3	2	3	2	10	13	14	20	12	14	5	8	1	1	50	63	113	

TABLE VI.

DEATHS DURING 1863.

DISEASES AND AGES.

[illegible]

* Death from Pericarditis as a complication of Rheumatism.

TABLE VI (continued).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III.																									
1. Meningitis	1	...	1	1	1	...	2	5	1	6
2. Encephalitis	1	1	...	1	
4. Apoplexy	2	1	2	3	1	5	4	9
5. Paralysis
(a) Hemiplegia	2	1	1	1	3	4	
(b) Paraplegia	1	...	1	...	1	1	1	1	1	5	6	
6. Paralysis Agitans
7. Chorea
8. Epilepsy	1	1	1	1	2	
10. Hysteria
11. Convulsions
12. Insanity
14. Neuralgia
16. Disease of Brain	1	1	...	2	1	2	5	2	7	
17. Delirium Tremens	2	...	1	3	...	3	
ORDER IV.																									
2. Pericarditis	1	1	1	
3. Endocarditis, incl. Val- vular Disease	1	...	1	1	...	2	3	2	5	
4. Hypertrophy of Heart
6. Disease of Heart	1	...	1	5	2	5	2	3	2	4	2	1	1	1	11	19	30	
7. Aneurism of Aorta	1	2	3	...	3	
ORDER V.																									
1. Epistaxis	1	1	...	1	
2. Hæmoptysis
3. Laryngitis
5. Bronchitis	1	1	1	2	5	1	4	2	6	1	...	3	...	1	17	11	28	
6. Pleurisy
(a) Hydrothorax	1	1	1	2	1	3	
(b) Empyema	1	1	1	1	2	
8. Pneumonia	1	...	1	1	2	2	...	3	1	3	3	3	12	8	20	
9. Pleuro-pneumonia	1	1	2	...	2	
11. Emphysema
ORDER VI.																									
3. Stomatitis	1	...	1	
4. Gastritis
5. Enteritis	1	1	...	1	
6. Colunitis
7. Peritonitis	1	...	2	1	...	1	2	4	3	7	
8. Constipation (Ileus)
11. Ulceration of Intestines	1	1	1	1	2	
12. Perforation of Intes- tines	1	1	1	1	2	
14. Dyspepsia
16. Chronic Vomiting
17. Hæmatemesis
18. Melæna	1	1	...	1	
20. Disease of Stomach
22. Disease of Spleen
23. Disease of Liver	1	...	1	2	2	
24. Jaundice
25. Hepatitis	1	1	1	
26. Cirrhosis	1	1	...	1	
28. Ascites	1	1	1	
29. Colic	1	1	
30. Lead Poisoning

TABLE VII.

SHOWING THE WHOLE NUMBER OF CASES UNDER TREATMENT, WITH THE RESULTS.

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER I.											
1. Smallpox	4	4	4	...	2	1		
2. Chicken-pox	1	1	1	15	...		
3. Measles.....	...	3	3	3	21	48		
4. Scarlatina*	10	107	117	94	23	32	31	19·66	7·14
5. Diphtheria	4	4	3	1	12	28	25·	0·31
6. Quinsy	15	15	15	18	27		
7. Croup	1	17	18	10	8	21	15	44·44	2·48
8. Continued Fever	1	13	14	14	30	31		
(a) Typhus	9	50	59	46	13	40	42	22·03	4·04
(b) Typhoid	3	41	44	41	3	46	43	6·82	0·93
(d) Remittent	1	1	1	19	...		
(e) Febricula	5	51	56	54	...	2	...	19	28		
9. Hooping-cough.....	...	4	4	2	2	14	11	50·	0·62
10. Diarrhœa	1	10	11	10	...	1	...	25	23		
11. Dysentery	1	7	8	7	1	38	53	12·50	0·31
12. Cholera	1	1	1	...	1	100·	0·31
13. Catarrh.....	...	2	2	2	38		
14. Influenza	3	3	3	30		
15. Ague.....	1	2	3	3	49	...		
16. Erysipelas	2	39	41	40	1	29	40	2·44	0·31
17. Erythema	7	7	7	24	53		
18. Pyæmia.....	...	2	2	2	1	5	100·	0·62
20. Metria	2	2	2	16		
21. Rheumatism†	35	326	361	348	3	9	1	40	51	0·28	0·31
24. Syphilis—											
(b) Secondary	3	12	15	13	2	48	95		
26. Purpura	5	5	4	1	25	38	20·	0·31
27. Scurvy	1	1	1	55	...		
32. Worms	3	3	3	23		
33. Hydatids	1	3	4	2	1	...	1	...	66	25·	0·31
ORDER II.											
1. Gout	2	7	9	9	66	...		
2. Dropsy	2	10	12	7	...	1	4	31	39	33·33	1·24
3. Anæmia.....	2	9	11	10	1	30	52		
4. Cancer—											
(b) Of Internal Organs	32	32	11	13	1	7	46	50	3·12	2·17
9. Tumours	1	3	4	3	1	79	55	25·	0·31
12. Bed-sores	1	1	1	93	...		
14. Scrofula	1	3	4	2	...	2	...	55	44		
15. Psoas Abscess, including Pelvic	2	2	4	4	220	48		
17. Tubercular Peritonitis	4	4	1	3	52	23		
18. Phthisis.....	13	130	143	56	16	7	64	38	46	4·89	2·17
19. Hydrocephalus	3	3	2	1	28	29	33·33	0·31

* 60 cases of dropsy after scarlatina are placed under this heading, of which 3 proved fatal.

† 339 cases of acute, 20 of chronic rheumatism.

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER III.											
1. Meningitis	6	6	6	10	8	100·	1·86
2. Encephalitis	1	1	1	3	...	100·	0·31
4. Apoplexy	9	9	9	2	3	100·	2·79
5. Paralysis	7	7	7	69		
(a) Hemiplegia	4	27	31	21	5	1	4	51	51	12·90	1·24
(b) Paraplegia.....	6	16	22	12	4	...	6	67	77	27·27	1·86
6. Paralysis Agitans	1	2	3	3	32	19		
7. Chorea	5	26	31	29	1	1	...	48	51		
8. Epilepsy	3	42	45	36	3	4	2	18	42	4·44	1·24
10. Hysteria	1	13	14	12	...	2	...	12	23		
11. Convulsions	2	2	1	...	1	...	2	11		
12. Insanity	3	3	...	1	2	...	35	4		
14. Neuralgia	14	14	14	48	41		
16. Disease of Brain	3	10	13	4	2	...	7	50	27	53·85	2·17
17. Delirium Tremens	3	9	12	9	3	19	...	25·	0·93
ORDER IV.											
2. Pericarditis	1	...	1	1	...	62	100·	0·31
3. Endocarditis, incl. Valvular Disease	1	17	18	7	3	3	5	23	48	27·77	1·55
4. Hypertrophy of Heart	1	1	1	35	...		
6. Disease of Heart	2	56	58	20	4	4	30	32	34	51·72	9·32
7. Aneurism of Aorta	9	9	5	...	1	3	46	51	33·33	0·93
ORDER V.											
1. Epistaxis	2	2	2	15		
2. Hæmoptysis	22	22	20	...	1	1	28	31	4·55	0·31
3. Laryngitis.....	...	4	4	4	27	39		
5. Bronchitis.....	14	80	94	60	4	2	28	31	33	29·79	8·70
6. Pleurisy.....	1	8	9	9	24	34		
(a) Hydrothorax.....	...	11	11	8	3	47	40	27·27	0·93
(b) Empyema	1	3	4	2	2	33	48	50·	0·62
8. Pneumonia	5	59	64	43	...	1	20	26	37	31·25	6·21
9. Pleuro-pneumonia	4	24	28	26	2	45	62	7·14	0·62
11. Emphysema	1	2	3	3	37	...		
ORDER VI.											
3. Stomatitis.....	1	1	2	2	32		
4. Gastritis	3	3	2	...	1	...	15	25		
5. Enteritis	4	4	3	1	43	49	25·	0·31
6. Colitis	1	1	1	58	...		
7. Peritonitis.....	...	12	12	5	7	5	22	58·33	2·17
8. Constipation (Ileus).....	1	17	18	17	...	1	...	23	27		
11. Ulceration of Intestines	2	2	2	7	2	100·	0·62
12. Perforation of Intestines	2	2	2	9	3	100·	0·62
14. Dyspepsia	1	7	8	7	1	25	21		
16. Chronic Vomiting.....	...	4	4	4	45	26		
17. Hæmatemesis	6	6	5	1	30	57		
18. Melæna	3	3	2	1	10	38	33·33	0·31
20. Disease of Stomach.....	...	1	1	1	296		
22. Disease of Spleen.....	...	1	1	1	56		
23. Disease of Liver	6	6	4	2	37	37	33·33	0·62
24. Jaundice	1	10	11	7	3	1	...	22	70		
25. Hepatitis	5	5	4	1	38	53	20·	0·31
26. Cirrhosis	1	1	2	1	1	158	..	50·	0·31
28. Ascites	9	9	7	...	1	1	49	101	10·10	0·31
29. Colic	5	5	5	4	21		
30. Lead Poisoning	1	8	9	8	...	1	...	31	54		

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER VII.											
2. Albuminuria.....	5	51	56	30	6	2	18	41	30	32·14	5·59
5. Diabetes	1	4	5	2	...	1	2	25	57	40·	0·62
6. Disease of Kidneys	1	1	1	...	118	100·	0·31
7. Hæmaturia	1	1	1	35			
ORDER VIII.											
4. Hæmatocele	1	1	2	2	25		
7. Metritis.....	...	12	12	12	27		
8. Ovarian Dropsy	6	6	5	1	...	27	16·66	0·31
9. Ovarian Tumour	11	11	7	3	...	1	...	30	9·09	0·31
10. Disease of Ovaries	1	1	1	...	35	100·	0·31
11. Uterine Tumour	5	5	...	2	2	1	...	14	20·	0·31
12. Uterine Polypus	9	9	7	2	...	26	22·22	0·62
16. Disorders of Menstruation	2	16	18	10	2	6	31		
17. Disease of Uterus, &c.*	9	126	135	102	11	20	2	...	31	1·48	0·64
ORDER IX.											
2. Periostitis.....	...	1	1	1	28		
ORDER X.											
3. Abscess.....	...	4	4	2	2	58	42		
5. Disease of Skin	1	1	1	4		
6. Roseola.....	...	2	2	2	22		
8. Eczema.....	...	1	1	...	1	26	...		
9. Herpes	1	1	1	47		
12. Scabies	1	1	1	89		
20. Prurigo.....	...	1	1	...	1	25	...		
21. Psoriasis	1	...	1	1	50		
ORDER XI.											
1. Intemperance	16	16	16	2	2		
2. Privation	2	2	1	1	30	...	50·	0·31
8. Debility	5	27	32	31	...	1	...	24	43		
9. Poison	27	27	22	...	2	3	6	5	11·11	1·86
Diseases not classed	5	26	31	15	...	16	...	21	17		
TOTAL	187	1887	2074	1543	96	113	322				

Remaining January 1st, 1864..... 218.

* Under this head are included 58 patients, who were admitted for the application of leeches, and who only remained one day in the hospital.



S U R G I C A L R E P O R T .



PATIENTS REMAINING, JANUARY 1ST, 1863.

[illegible]

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER IX—continued.																									
4. Caries	1	1	1	1	2
5. Necrosis	1	1	1	2	1	4	2	6
6. Disease of Bone	1	1	2	2
7. Curvature of Spine	2	...	1	1	3	1	4
8. Disease of Joints	3	...	2	1	1	4	2	...	1	2	9	7	16
(a) Disease of Glands
(b) Ditto of Bursæ, Ganglia, &c.
ORDER X.																									
1. Carbuncle	1	1	...	1
3. Abscess	2	3	...	3	...	3	1	...	2	5	9	14
(a) Chronic
4. Ulcer	1	1	...	1	6	...	2	2	1	3	2	1	12	7	19
5. Disease of Skin	1	...	1	1	1	2	3
2. Scabies	1	1	...	1
3. Pemphigus
3. Erythema Nodosum
1. Psoriasis	1	1	...	1
5. Gangrena Senilis
ORDER XI.																									
5. Malformations	1	1	4	4	1	4	6	9	15
1. Violence and Injury—
(a) Burn and Scald	1	1	1	1	...	1	1	1	1	4	4	3
(b) Contusious	2	1	2	1	8
(c) Sprains
(d) Gunshot Wounds
(e) Lacer. of Limbs
(f) Wounds	1	3	2	...	1	...	2	1	8	2	10
(g) Concussion of Brain and Cord	1	...	1	1	1	...	1	...	2	1	7	1	8
(h) Fractures—
Simple	1	2	...	1	...	5	1	5	...	7	2	3	3	2	25	7	32
Compound	2	2	...	2
Ununited and Mal-union of
(k) Dislocations—
Simple	1	...	1	...	1	...	1	1	5	...	5
Compound
1. Suicide (Cut Throat)	1	1	1
Diseases not classed	2	...	4	1	7	7
TOTAL	3	4	18	7	14	9	36	52	41	17	20	19	22	8	6	7	8	1	168	126	294

TABLE II.

PATIENTS ADMITTED DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER I.																									
6. Quinsy	1	2	1	3	4	2	1	...	2	1	8	9	17
16. Erysipelas—																									
(a) Simple.....	2	1	1	2	1	..	4	6	5	4	6	4	4	3	3	2	2	1	28	23	51	
(b) Phlegmonous	1	1	1	1	2	3	
(c) Cellulitis (difuse)	2	1	1	2	16	6	10	7	14	10	15	3	6	2	3	...	2	69	31	100	
(d) Elephantiasis	1	...	1	2	2	
18. Pyæmia—																									
(a) Acute	1	1	...	1	
(b) Chronic	1	1	2	...	2	
24. Syphilis—																									
(a) Primary	31	58	18	16	3	1	1	...	2	55	75	130	
(b) Secondary	18	61	29	38	10	14	5	3	62	116	178	
(c) Inherited	1	2	2	2	...	2	3	6	9	
25. Gonorrhœa, incl. Bubo and Phymosis	21	128	6	14	27	142	169	
27. Scurvy	1	1	...	1	
ORDER II.																									
4. Cancer—																									
(a) Of Ext. Organs																									
Tumours—																									
Of Breast	1	...	9	...	6	1	2	...	1	1	19	20	
Other situation	1	1	1	1	2	1	2	1	1	1	1	7	7	14	
Growths—																									
Epithelial	2	...	4	1	6	1	4	1	3	...	1	19	4	23	
Other forms	1	1	1	
6. Lupus	1	1	...	1	...	1	1	1	2	4	6	
8. Polypus.....	1	1	1	1	2	3	
9. Tumours	1	1	4	...	3	2	1	10	4	9	4	12	2	5	...	2	19	41	60	
10. Mortification—																									
(a) Primary	1	1	1	1	2	
(b) Secondary	1	1	1	...	1	1	...	2	4	3	7	
11. Phagedæna	1	1	...	1	
12. Bed-sores	1	...	1	1	1	2	
13. Fistula	2	1	4	2	1	3	...	1	1	8	7	15	
14. Scrofula	3	2	9	1	2	6	8	7	6	2	1	...	1	30	18	48	
15. Psoas Abscess, including Pelvic	1	1	1	1	4	1	1	4	...	1	1	8	8	16	
ORDER III.																									
9. Tetanus.....	2	1	3	...	3	
14. Neuralgia	1	1	1	1	2	3	
18. Disease of Spinal Cord	1	1	1	1	3	...	2	1	4	6	10	

TABLE II (continued).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER III—continued.																									
Conjunctivitis	1	2	5	1	2	...	7	...	3	...	2	20	3	23
Amaurosis.....	2	1	1	...	1	3	2	5	
Cataract	1	2	1	2	4	2	6	
Iritis	1	1	3	5	2	3	1	1	1	8	10	18	
Corneitis	2	2	1	2	2	1	1	1	1	1	6	7	13	
Disease of Eye	1	2	3	...	3	
Disease of Ear	1	1	1	1	2	
ORDER IV.																									
Aneurism of Aorta	1	1	...	1
Disease of Arteries	1	...	1	2	2	...	2	
Phlebitis	1	1	...	1	1	...	1	3	3	6	
Disease of Veins	2	2	6	1	6	...	3	3	17	20	
(a) Rupture of do.	1	2	1	2	2	4	
Nævus	2	12	2	12	14	
ORDER V.																									
Epistaxis	1	1	...	1	1	1	...	1	4	2	6	
Laryngitis.....	1	1	...	1	
ORDER VI.																									
Strict. of Œsophagus	1	1	1	1	2	
Stomatitis.....	4	...	1	1	5	...	5	
(a) Glossitis.....	1	1	1	2	1	3	
Stricture of Rectum	1	1	1	1	2	3	
Ulceration of do.	1	...	1	...	1	2	...	2
Hernia—
(a) Femoral.....	1	4	...	7	...	5	...	1	2	2	3	19	22	
(b) Inguinal.....	1	...	3	1	3	...	4	...	5	...	4	...	2	...	1	...	23	1	24	
(c) Otherwise	1	3	...	1	1	1	1	3	5	8	
Hæmorrhoids	5	2	2	2	1	3	7	8	15	
ORDER VII.																									
Hæmaturia	1	1	...	1	3	...	3	
Stone	5	1	...	1	1	...	1	...	1	...	1	...	1	11	...	11	
Cystitis	1	1	1	1	1	1	1	1	5	3	8	
Disease of Prost. Gland	1	...	4	...	1	6	...	6	
Strict. of Urethra incl. Retention of Urine	1	1	2	...	12	...	19	...	6	...	4	...	1	45	1	46	
Extravasation of Urine including Urinary Abscess	1	...	2	...	2	...	1	...	4	...	7	...	5	...	2	...	1	...	1	26	...	26	
Incontinence of Urine	1	1	1	
ORDER VIII.																									
Orchitis.....	2	...	1	3	...	3	
Hydrocele.....	1	...	3	...	3	...	2	...	1	10	...	10	
Hæmatocele	2	...	1	3	...	3	
Disease of Testicle	1	1	...	1	...	1	4	...	4	
Ovarian Tumour	1	1	...	1	
Disease of Female Organs (External)	1	1	3	...	1	...	1	...	1	8	...	8
ORDER IX.																									
Synovitis	2	2	2	2	4	3	11	16	15	7	6	5	4	2	1	2	45	39	84	
Periostitis.....	2	3	2	1	2	1	1	7	5	12	
Exostosis	1	1	2	1	2	3	5	

TABLE II (continued).

DISEASES.	Under 5 Years.		5-10.		10-15.		15-25.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER IX—continued.																									
4. Caries	1	...	1	...	4	1	...	3	1	7	4	11
5. Necrosis	1	...	4	1	3	1	9	7	13	2	6	1	2	38	12	50	
6. Disease of Bone	1	1	...	1	
7. Curvature of Spine	2	2	2	
8. Disease of Joints.....	1	1	5	4	3	9	7	6	8	4	6	4	3	1	2	35	29	64	
(a) Disease of Glands	1	...	1	...	2	...	4	3	7	1	3	1	1	1	1	20	6	26	
(b) Ditto of Bursæ, Ganglia, &c.....	3	1	2	23	3	5	2	3	3	2	2	1	...	3	...	1	...	15	39	54	
ORDER X.																									
1. Carbuncle	1	2	1	5	...	10	2	3	...	1	21	4	25	
3. Abscess.....	6	1	3	4	4	9	20	18	13	10	12	8	12	8	6	3	2	1	78	62	140	
(a) Chronic	1	1	1	1	1	...	1	4	2	6	
4. Ulcer	2	1	3	5	12	6	8	7	14	12	5	7	4	5	2	5	...	1	...	53	51	104	
5. Disease of Skin	3	1	1	2	2	1	...	1	7	4	11	
8. Eczema.....	1	...	1	1	1	...	1	...	1	...	1	1	6	7	
12. Scabies.....	1	1	1	1	2	
13. Pemphigus	1	1	1	
18. Erythema Nodosum...	3	1	4	4	
21. Psoriasis	1	...	1	1	3	3	
26. Gangrena Senilis	1	1	...	1	
ORDER XI.																									
5. Malformations	12	5	8	3	6	5	13	8	1	40	21	61	
10. Violence and Injury—
(a) Burn and Scald	38	16	12	5	5	6	7	4	6	6	6	4	2	4	...	2	...	1	...	1	...	66	49	115	
(b) Contusions	9	1	19	5	15	4	26	8	29	7	20	9	14	4	9	4	5	3	1	1	...	147	46	193	
(c) Sprains	1	5	1	6	7	11	3	14	3	7	2	2	1	46	17	63	
(d) Gunshot Wounds	2	2	...	2	
(e) Lacer. of Limbs	3	...	6	1	2	...	1	...	1	13	1	14	
(f) Wounds	1	3	8	8	15	3	35	6	39	7	21	8	10	4	14	4	5	3	3	2	1	151	48	199	
(g) Concussion of Brain and Cord	11	5	6	1	8	3	9	3	17	1	8	...	5	...	2	1	1	67	14	81	
(h) Fractures—
Simple	11	9	18	8	22	2	25	2	53	6	42	14	31	9	17	8	5	6	3	7	...	227	72	299	
Compound.....	3	1	4	1	11	1	9	1	15	1	12	...	8	...	5	1	1	68	6	74	
Ununited and Mal-union of	1	1	1	...	1	4	...	4	
(k) Dislocations—
Simple	1	2	1	6	...	4	...	1	1	1	2	15	4	19	
Compound	1	1	...	1	3	...	3	
13. Suicide (Cut Throat)	1	...	2	1	3	...	2	...	1	9	1	10	
Diseases not classed	1	...	1	2	...	2	12	5	4	2	1	3	2	...	1	...	1	1	15	23	38	
TOTAL	111	70	115	53	147	71	333	455	404	217	293	114	202	94	117	58	32	18	13	3	2	1793	1229	3022	
																							182	152	334
																							1975	1381	3356

TABLE III.

PATIENTS DISCHARGED CURED AND RELIEVED DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years.		5-10.		10-15.		15-25.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER I.																									
6. Quinsy	1	2	1	3	4	3	1	...	2	1	8	10	18	
16. Erysipelas—																									
(a) Simple	2	1	1	1	1	1	6	6	5	4	7	4	6	4	4	3	3	35	24	59	
(b) Phlegmonous	1	2	2	1	3		
(c) Cellulitis(diffuse)	2	1	1	2	16	6	9	7	14	10	15	2	5	1	2	...	1	65	29	94	
(d) Elephantiasis	1	...	1	2	2		
18. Pyæmia—																									
(a) Acute	1	1	...	1		
(b) Chronic	1	1	2	...	2		
24. Syphilis—																									
(a) Primary	35	57	18	14	3	1	1	...	2	59	72	131		
(b) Secondary	15	53	32	33	12	17	5	3	64	106	170		
(c) Inherited	1	1	3	2	...	2	4	5	9		
25. Gonorrhœa, incl. Bubo and Phymosis	20	124	7	12	...	2	1	28	138	166		
27. Scurvy	1	1	...	1		
ORDER II.																									
4. Cancer—																									
(a) Of Ext. Organs																									
Tumours—																									
Of Breast	1	...	8	...	6	1	1	...	1	1	17	18		
Other situation	1	1	1	1	1	1	4	5		
Growths—																									
Epithelial	1	...	4	1	4	...	3	1	2	...	1	15	2	17		
Other forms	1	1	1		
6. Lupus	1	1	...	1	...	1	1	1	2	4	6		
8. Polypus	1	1	1	1	2	3		
9. Tumours	1	1	4	...	2	2	1	13	3	18	3	11	2	5	...	2	16	42	58		
10. Mortification—																									
(a) Primary	1	1	1	...	1	4	2	6		
(b) Secondary	1	1	1	...	1		
11. Phagedæna	1	1	1	...	1		
12. Bed-sores	1	1	...	1		
13. Fistula	2	1	6	4	3	1	12	5	17		
14. Scrofula	3	2	11	...	2	5	7	8	4	1	1	...	1	29	16	45		
15. Psoas Abscess, includ- ing Pelvic	1	1	2	1	2	...	1	1	5	4	9		
ORDER III.																									
9. Tetanus.....	1	1	1	2	1	3		
14. Neuralgia	1	1	1	3	6	9		
18. Disease of Spinal Cord	1	1	1	1	3	...	2		

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
ORDER IX—continued.																										
4. Caries	1	...	1	...	4	1	...	2	1	1	1	8	4	12	
5. Necrosis	1	...	3	1	3	2	8	8	12	2	6	1	2	35	14	49	
6. Disease of Bone	1	1	2	2	4	
7. Curvature of Spine	1	2	1	2	2	4	
8. Disease of Joints	4	1	7	5	3	12	6	4	7	3	4	4	3	1	1	35	30	65	
(a) Disease of Glands	1	...	1	...	2	...	4	3	7	1	3	...	1	1	1	20	5	25	
(b) Ditto of Bursæ, Ganglia, &c.	3	1	2	23	3	5	2	3	3	2	2	1	...	3	15	38	53	
ORDER X.																										
1. Carbuncle	1	2	1	5	...	10	2	3	...	2	22	4	26	
3. Abscess	6	1	3	4	4	9	23	20	11	13	10	11	12	8	7	3	1	1	77	70	147	
(a) Chronic	1	1	1	1	...	1	4	1	5	
4. Ulcer	3	2	3	5	15	...	8	9	18	14	6	9	4	6	2	4	59	57	116	
5. Disease of Skin	2	1	1	2	1	...	1	6	4	10	
8. Eczema	1	...	2	1	2	1	1	...	1	...	1	2	8	10	
12. Scabies	1	1	1	2	1	3	
13. Pemphigus	1	1	1	1
18. Erythema Nodosum	3	1	4	4	4
21. Psoriasis	1	1	...	1	1	1	3	4	4
26. Gangrena Senilis
ORDER XI.																										
5. Malformations	7	4	10	6	6	5	13	11	1	37	26	63	63
10. Violence and Injury—
(a) Burn and Scald	17	5	9	3	5	5	7	4	6	4	7	4	3	54	25	79	79
(b) Contusions	9	1	17	6	14	2	23	10	28	6	19	10	12	4	7	3	6	4	1	1	137	47	184	184
(c) Sprains	1	5	1	6	7	12	4	10	3	5	6	1	1	40	22	62	62
(d) Gunshot Wounds	2	2	...	2	2
(e) Lacer. of Limbs	2	...	5	1	2	9	1	10	10
(f) Wounds	1	3	9	6	17	4	35	3	39	7	23	8	14	4	12	3	4	4	3	1	1	1	158	44	202	202
(g) Concussion of Brain and Cord	13	3	7	1	9	4	10	3	17	1	9	...	5	...	2	1	2	71	13	84	84
(h) Fractures—
Simple	10	9	19	6	23	2	24	2	55	7	40	13	33	11	17	9	5	2	...	3	...	1	226	65	291	291
Compound	3	1	3	1	11	1	10	1	10	1	9	...	4	...	2	58	5	63	63
Ununited and Mal-union of
(k) Dislocations—
Simple	1	3	1	7	...	5	...	2	1	1	1	1	20	3	23	23
Compound	1	1	...	1	3	...	3	3
13. Suicide (Cut Throat)	1	1	1	1	1	...	2	...	1	6	2	8	8
Diseases not classed	1	2	3	4	5	2	4	2	1	...	2	1	11	16	27	27
TOTAL	92	56	121	48	151	72	335	448	406	208	285	168	191	89	103	52	40	20	13	5	1	2	1738	1168	2906	2906

100

.....

1.
3.
10.
11.
13.
17.
18.
19.
20.
21.
22.
23.
24.
25.
26.
27.
28.
29.
30.
31.
32.
33.
34.
35.
36.
37.
38.
39.
40.
41.
42.
43.
44.
45.
46.
47.
48.
49.
50.
51.
52.
53.
54.
55.
56.
57.
58.
59.
60.
61.
62.
63.
64.
65.
66.
67.
68.
69.
70.
71.
72.
73.
74.
75.
76.
77.
78.
79.
80.
81.
82.
83.
84.
85.
86.
87.
88.
89.
90.
91.
92.
93.
94.
95.
96.
97.
98.
99.
100.

[illegible]

TABLE IV (*continued*).

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER IX—continued.																									
4. Caries	1	1	...	1
5. Necrosis
6. Disease of Bone
7. Curvature of Spine	1	1	1	1	2
8. Disease of Joints.....	1	...	1	...	1	...	1	4	...	4
(a) Disease of Glands
(b) Ditto of Bursæ, Ganglia, &c....
ORDER X.																									
1. Carbuncle.....
3. Abscess.....
(a) Chronic
4. Ulcer	1	1	1
5. Disease of Skin
8. Eczema.....
12. Scabies
13. Pemphigus
18. Erythema Nodosum...
21. Psoriasis
26. Gangrena Senilis
ORDER XI.																									
5. Malformations	3	2	1	2	1	4	5	9
10. Violence and Injury—
(a) Burn and Scald
(b) Contusions
(c) Sprains
(d) Gunshot Wounds
(e) Lacer. of Limbs
(f) Wounds
(g) Concussion of Brain and Cord
(h) Fractures—
Simple
Compound.....
Ununited and Mal-union of	1	1	...	1
(k) Dislocations—
Simple	1	1	1
Compound.....				

TABLE V.

PATIENTS DISCHARGED FOR OTHER THAN MEDICAL REASONS DURING 1863.

DISEASES AND AGES.

[illegible]

TABLE V (continued).

[illegible]

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER IX—continued.																									
4. Caries	1	...	2	3	...	3
5. Necrosis
6. Disease of Bone
7. Curvature of Spine	1	...	1	1	1	2	3
8. Disease of Joints.....
(a) Disease of Glands
(b) Ditto of Bursæ, Ganglia, &c.....
ORDER X.																									
1. Carbuncle	1	1	2	...	2
3. Abscess.....	1	2	...	2
(a) Chronic	2	1	3
4. Ulcer	1	1	1	2	...	3
5. Disease of Skin
8. Eczema.....
12. Scabies
13. Pemphigus
18. Erythema Nodosum...
21. Psoriasis
26. Gangrena Senilis
ORDER XI.																									
5. Malformations	2	1	3	...	3
10. Violence and Injury—
(a) Burn and Scald	3	4	2	5	4	9
(b) Contusions	1	2	...	1	1	3	2	5
(c) Sprains	1	1	1
(d) Gunshot Wounds
(e) Lacer. of Limbs
(f) Wounds	1	...	2	3	...	3
(g) Concussion of Brain and Cord
(h) Fractures—
Simple	1	1	...	1
Compound.....	1	1	...	1
Ununited and Mal-union of
(k) Dislocations—
Simple
Compound.....			

TABLE VI.

DEATHS DURING 1863.

DISEASES AND AGES.

DISEASES.	Under 5 Years		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER I.																									
6. Quinsy																									
16. Erysipelas—																									
(a) Simple				1					1								1						1	2	3
(b) Phlegmonous										1													1		1
(c) Cellulitis (diffuse)									1					1	1	1	1		1				4	2	6
(d) Elephantiasis																									
18. Pyæmia—																									
(a) Acute												1												1	1
(b) Chronic																									
24. Syphilis—																									
(a) Primary								2	1														1	2	3
(b) Secondary								2																2	2
(c) Inherited																									
25. Gonorrhœa, incl. Bubo and Phymosis																									
27. Scurvy																									
ORDER II.																									
4. Cancer—																									
(a) Of Ext. Organs																									
Tumours—																									
Of Breast												1				1								2	2
Other situation								1			1			1	2		1						4	2	6
Growths—																									
Epithelial																									
Other forms												1	1										1	1	2
6. Lupus																									
8. Polypus.....																									
9. Tumours						2						1											2	1	3
10. Mortification—																									
(a) Primary																								1	1
(b) Secondary										1		1			1								1	2	3
11. Phagedæna																	1							1	1
12. Bed-sores																									
13. Fistula					*1																		1		1
14. Scrofula				1				2		1	1	1											5	1	6
15. Psoas Abscess, including Pelvic						1	1	2	1		2												3	4	7
ORDER III.																									
9. Tetanus.....						2									1								3		3
14. Neuralgia																									
17. Delirium Tremens																	1						1		1
18. Disease of Spinal Cord																									
* In Cæco.																									

* In Cæco.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ORDER IX—continued.																									
4. Caries							1		1	1													3	1	4
5. Necrosis			1						1														1		1
6. Disease of Bone									1																
7. Curvature of Spine ...																									
8. Disease of Joints								1	2	1	1	2	1										4	4	8
(a) Disease of Glands										1														1	1
(b) Ditto of Bursæ, Ganglia, &c.																			1					1	1
ORDER X.																									
1. Carbuncle									1		2		1				1						5		5
3. Abscess								1									1							1	1
(a) Chronic																									
4. Ulcer							1											1		1			1	2	3
5. Disease of Skin	1																						1		1
8. Eczema																									
12. Scabies																									
13. Pemphigus																									
18. Erythema Nodosum ...																									
21. Psoriasis																									
26. Gangrena Senilis																	1						1		1
ORDER XI.																									
5. Malformations	1																						1		1
10. Violence and Injury—																									
(a) Burn and Scald ..	9	8	4	3		2	1	1	1	1			1	2		2							16	19	35
(b) Contusions		1			1		2		1						1		1						6	1	7
(c) Sprains																									
(d) Gunshot Wounds ..																									
(e) Lacer. of Limbs ..					1		1				1		1										4		4
(f) Wounds													1		1		1			1			3	1	4
(g) Concussion of Brain and Cord	1	2							1		1												3	2	5
(h) Fractures—																									
Simple	1	1		2	1		2		3		5	1	6		4	1	2	4	3	4			27	13	40
Compound			1						1		3		5		2	1	1						13	1	14
Ununited and Mal-union of																									
(k) Dislocations—																									
Simple																									
Compound												1		2											
13. Suicide (Cut Throat) .											1		2										3		3
Diseases not classed												1					1							2	2
TOTAL	13	12	7	7	9	4	12	10	21	10	20	12	23	7	17	8	16	12	5	8	2		145	90	235

TABLE VII.

SHOWING THE WHOLE NUMBER OF CASES UNDER TREATMENT, WITH THE RESULTS.

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER I.											
6. Quinsy	1	17	18	18	24	7		
16. Erysipelas—											
(a) Simple	11	51	62	59	3	22	30	4·83	1·28
(b) Phlegmonous	1	3	4	3	1	25·	·42
(c) Cellulitis (diffuse).....	...	100	100	94	6	33	44	6·	2·56
(d) Elephantiasis	2	2	2	36		
18. Pyæmia —											
(a) Acute	1	3	4	3	1	10	...	25·	42·42
(b) Chronic.....											
24. Syphilis—											
(a) Primary	20	130	150	131	...	16	3	31	33	2·	1·28
(b) Secondary	17	178	195	170	...	23	2	33	42	1·02	·85
(c) Inherited	2	9	11	9	2	34	53		
25. Gonorrhœa, incl. Bubo and Phymosis	16	169	185	166	2	17	...	26	47		
27. Scurvy	1	1	1	20	...		
ORDER II.											
4. Cancer—											
(a) Of External Organs	8	58	66	41	13	2	10	48	31	15·15	4·28
6. Lupus	6	6	6	76	107		
8. Polypus.....	...	3	3	3	28	20		
9 Tumours	4	60	64	58	...	3	3	34	25	4·69	1·28
10. Mortification—											
(a) Primary.....	1	9	10	6	4	62	26	40·	1·71
(b) Secondary.....											
11. Phagedæna	1	1	1	18	...		
12. Bed-sores	2	2	1	1	...	30	50·	·42
13. Fistula	4	14	18	17	1	27	27	5·55	·42
14. Scrofula	10	48	58	45	4	3	6	115	96	10·34	2·56
15. Psoas Abscess, including Pelvic	2	16	18	9	2	...	7	85	50	38·83	2·99
ORDER III.											
9. Tetanus.....	...	3	3	3	4	...	100·	1·28
14. Neuralgia	3	3	3		
18. Disease of Spinal Cord	1	10	11	9	1	...	1	65	51	9·09	·42
19. Conjunctivitis	4	23	27	25	2	26	37		
20. Amaurosis.....	...	5	5	4	1	8		
21. Cataract	1	6	7	7	73	31		
22. Iritis	18	18	18	29	17		
23. Corneitis	13	13	12	1	34	66		

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER III—continued.											
24. Disease of Eye	3	3	3	24	...		
25. Disease of Ear	2	2	2	8	38		
ORDER IV.											
7. Aneurism of Aorta	1	1	2	...	1	...	1	...	68	50	42
11. Disease of Arteries	2	2	2	22	...		
12. Phlebitis	1	6	7	7	42	39		
13. Disease of Veins	3	20	23	23	43	25		
(a) Rupture of do.	4	4		
14. Nævus	14	14	14	15	27		
ORDER V.											
1. Epistaxis	6	6	6	11	14		
3. Laryngitis	1	1	1	32		
ORDER VI.											
1. Stricture of Oesophagus	2	2	2	39	61		
3. Stomatitis	5	5	4	1	...	17	20	42
(a) Glossitis	3	3	1	...	2		
10. Stricture of Rectum	3	3	2	1	...	29	33	33
11. Ulceration of do.	2	2	2		42
13. Hernia—											
(a) Femoral	2	22	24	15	9	2	22	37	5
(b) Inguinal	1	24	25	17	8	17	4	32	3
(c) Otherwise	8	8	4	4	4	5	50	1
19. Hæmorrhoids	1	15	16	16	35	35		
ORDER VII.											
7. Hæmaturia	3	3	3	44	...		
8. Stone	3	11	14	13	1	38	...	7	14
10. Cystitis	1	8	9	7	1	...	1	30	24	12	50
11. Disease of Prostate Gland	6	6	5	1	17	...	16	66
12. Stricture of Urethra, including Retention of Urine	5	46	51	46	5	41	...	2	81
13. Extravasation of Urine, including Urinary Abscess	26	26	16	1	2	7	26	92
14. Incontinence of Urine	1	1	1		
ORDER VIII.											
2. Orchitis	3	3	2	...	1	...	16	...		
3. Hydrocele	1	10	11	10	...	1	...	29	...		
4. Hæmatocele	3	3	3	27	...		
5. Disease of Testicle	2	4	6	6	30	...		
9. Ovarian Tumour	1	1	1	...	10	100	42
18. Disease of Female Organs (External)	8	8	5	1	2	18		
ORDER IX.											
1. Synovitis	8	84	92	89	...	2	1	40	54	1	08
2. Periostitis	1	12	13	13	50	38		
3. Exostosis	5	5	4	1	29	23	20	
4. Caries	2	11	13	12	1	75	41		

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
								Male.	Female.		
ORDER IX—continued.											
5. Necrosis	6	50	56	49	...	3	4	75	68	57·14	1·71
6. Disease of Bone	2	1	3	2	1	49	34	33·33	·42
7. Curvature of Spine	4	2	6	4	2	50		
8. Disease of Joints	16	64	80	65	4	3	8	64	117	10·	3·42
(a) Disease of Glands.....	...	80	80	78	2	2·5	·85
(b) Ditto of Bursæ, Ganglia, &c.											
ORDER X.											
1. Carbuncle	1	25	26	26	27	22		
3. Abscess	14	140	154	147	...	2	5	31	28	3·25	2·14
(a) Chronic.....	...	6	6	5	1	35	31	16·66	·42
4. Ulcer.....	19	104	123	116	1	3	3	48	34	2·48	1·28
5. Disease of Skin	11	11	10	1	119	23	9·09	·42
8. Eczema.....	3	7	10	10	26	25		
12. Scabies	1	2	3	3	4	15		
13. Pemphigus	1	1	1	37		
18. Erythema Nodosum.....	...	4	4	4	13		
21. Psoriasis	1	3	4	4	34	19		
26. Gangrena Senilis	1	1	1	23	...	100·	·42
ORDER XI.											
5. Malformations	15	61	76	63	9	3	1	63	75	1·33	·42
10. Violence and Injury—											
(a) Burn and Scald	8	115	123	79	...	9	35	23	18	28·45	14·97
(b) Contusions	3	193	196	184	...	5	7	3·57	2·99
(c) Sprains	63	63	62	...	1		
(d) Gunshot Wounds	2	2	2		
(e) Laceration of Limbs.....	...	14	14	10	4	14	20	28·57	1·71
(f) Wounds	10	199	209	202	...	3	4	26	19	1·91	1·71
(g) Concussion of Brain and Cord	8	81	89	84	52	11	12	5·61	22·23
(h) Fractures—											
Simple.....	32	301	333	291	1	1	40	42	37	12·01	17·12
Compound	2	76	78	63	...	1	14	89	80	17·94	5·98
Ununited and Mal-Union of											
(k) Dislocations—											
Simple	5	19	24	23	1	51	12		
Compound	3	3	3		
13. Suicide (Cut Throat)	1	10	11	8	3	11	14	27·27	1·28
Diseases not classed	7	38	45	27	1	15	2	4·46	·85
TOTAL	294	3022	3316	2906	52	123	235				

Remaining January 1st, 1864..... 334.

DISEASES.	Cases under treatment.			Per-centage of deaths.		
	1861	1862	1863	1861	1862	1863
ORDER IV—continued.						
6. Disease of Heart	65	54	58	56·92	44·44	51·72
7. Aneurism of Aorta ...	7	8	11	28·57	62·55	36·36
8. Do. of other Arteries ...	3	4				
9. Angina Pectoris						
10. Arteritis.....	2			
11. Disease of Arteries ...						
12. Phlebitis	2	12	7	...	8·33	
13. Disease of Veins	16	12	27			
14. Nævus	4	5	14			
ORDER V.						
1. Epistaxis	11	5	8			
2. Hæmoptysis	20	9	22	15·	...	4·55
3. Laryngitis	11	7	5	9·01	14·29	
4. Œdema of Glottis	1	2	...	100·	100·	
5. Bronchitis	127	105	94	22·88	30·48	29·79
6. Pleurisy	13	10	9	15·38		
(a) Hydrothorax	6	6	11	16·66	16·66	27·27
(b) Empyema	4	7	4	25·	57·14	50·
7. Congestion of Lungs...						
8. Pneumonia	105	67	64	32·38	31·34	31·25
9. Pleuro-pneumonia.....	32	26	28	12·50	23·08	7·14
10. Asthma	2	50·		
11. Emphysema	4	2	3	75·		
12. Disease of Lungs						
ORDER VI.						
1. Strict. of Œsophagus...	8	...	2	37·50		
2. Teething	4	...			
3. Stomatitis	9	16	7	22·22	31·25	14·38
(a) Glossitis.....	3			
4. Gastritis.....	2	2	3			
5. Enteritis	7	6	4	14·29	30·	25·
6. Colonitis	2	3	1			
7. Peritonitis	9	10	12	77·77	70·	58·33
8. Constipation (Ileus) ...	19	11	18			
9. Intussusception	1	100·		
10. Stricture of Intestines.	7	4	3	42·86	75·	33·3
11. Ulceration of Intestines	4	4	4	...	100·	50·
12. Perforation of Intestines.....	2	100·
13. Hernia—						
(a) Femoral	29	34	24	34·48	49·18	37·5
(b) Inguinal	31	46	25	9·68	8·70	32·
(c) Otherwise	1	7	8	100·	...	50·
14. Dyspepsia	15	19	8			
15. Pyrosis						
16. Chronic Vomiting	6	4	4			
17. Hæmatemesis	5	10	6	...	10·	
18. Melæna	2	3	3	33·33
19. Hæmorrhoids.....	12	16	16			
20. Disease of Stomach ...	1	1	1	...	100·	
21. Disease of Pancreas ...						
22. Disease of Spleen	3	2	1			
23. Disease of Liver	14	4	6	42·86	25·	33·33
24. Jaundice	15	17	11	6·66	23·53	
25. Hepatitis	2	...	5	20·
26. Cirrhosis	3	4	2	66·66	25·	50·
27. Gallstones	1				
28. Ascites	17	16	9	64·71	31·25	10·10
29. Colic	6	...	5			
30. Lead Poisoning	16	9	9			
ORDER VII.						
1. Nephritis	1	100·	
2. Albuminuria	70	63	56	41·43	52·38	32·14
3. Ischuria	4	7				
4. Dinresis	3					
5. Diabetes	9	5	5	22·22	40·	40·
6. Disease of Kidneys ...	7	...	1	42·86	...	100·
7. Hæmaturia	1	9	4			
8. Stone.....	17	15	14	11·76	...	17·14
9. Gravel						
10. Cystitis	16	10	9	12·50	40·	12·50
11. Disease of Prost. Gland	5	3	6	60·	33·33	16·66
12. Stricture of Urethra...	49	60	51	4·08	8·33	2·81
13. Extravasation of Urine	26	26·92
14. Incontinence of Urine.	1			
ORDER VIII.						
1. Varicocele						
2. Orchitis	13	20	3			
3. Hydrocele	13	9	11			
4. Hæmatocele	1	5			
5. Disease of Testicle ...	17	8	6			
6. Disease of Male Generative Organs	10	9				
7. Metritis.....	12			
8. Ovarian Dropsy.....	5	5	6	40·	40·	16·66
9. Ovarian Tumour	9	6	12	22·22	...	8·33
10. Disease of Ovaries.....	2	1	1	100·
11. Uterine Tumour	16	5	5	...	20·	20·
12. Uterine Polypus	4	5	9	22·22
13. Recto-vesical Fistula...	...	3				
14. Vesico-vaginal Fistula	3					
15. Recto-vaginal Fistula...	...	3				
16. Disord. of Menstruation	21	14	18			
17. Disease of Uterus, &c.	83	95	135	1·20	1·05	1·48
18. Disease of Female Generative Organs	8			
ORDER IX.						
1. Synovitis	16	30	92	1·08
2. Periostitis	4	7	14			
3. Exostosis	5	16	5	20·
4. Caries						
5. Necrosis.....	37	44	56	5·41	2·27	57·14
6. Disease of Bone	23	19	3	33·33
7. Curvature of Spine ...	21	12	6			
8. Disease of Joints	230	210	80	4·78	3·38	10·
(a) Diseased Glands and Bursæ	80	2·5
9. Muscular Atrophy.....	1					
ORDER X.						
1. Carbuncle	32	25	26	3·12	8·	
2. Boil						
3. Abscess	310	308	158	1·29	1·62	3·16
(a) Chronic.....	6	16·66
4. Ulcer	171	129	123	1·17	1·44	2·48
5. Disease of Skin.....	19	8	12	8·33
6. Roseola	2			
7. Urticaria						
8. Eczema	27	16	11			
9. Herpes	1	2				
10. Lepra.....	1	1				

SUB-TABLE (FRACTURES AND DISLOCATIONS).

DISEASES.	Under 5 Years.		5--10.		10--15.		15--25.		25--35.		35--45.		45--55.		55--65.		65--75.		75--85.		Above 85.		Total.		Grand Total.		Recovered.		Died.		Per-cent- tage of Deaths.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
SIMPLE FRACTURES--																																
Skull Vault	1	2	2	1	3	1	1	1	66.66	
" Base	2	6	2	8	6	2	100.		
Spine, Cervical	4	...	4	4	100.	
" Dorsal	2	...	2	2	100.	
" Lumbar	100.	
" Sacrum and Coccyx	
Bones of Face	6	...	6	6	
Sternum	1	...	1	23	5	28	19	2	4	3	...	25.	
Ribs	5	4	9	5	4	
Clavicle	2	...	2	...	2	
Scapula	6	5	11	6	5	
Humerus	1	...	1	9	3	12	9	3	
Radius and Ulna	1	...	1	2	4	...	4	25.	
Bones of Hand	
Pelvis	
Femur, Neck	
" Shaft	7	5	12	3	5	1	1	37	13	50	35	12	2	1	2	37.5	
Patella	6.
Tibia and Fibula, or Tibia alone
Fibula alone	2	2	6	8.08
Bones of Foot	1	1	3.03
TOTAL	11	9	18	8	22	2	25	2	53	6	42	14	31	9	17	8	5	6	3	7	...	1	227	72	299	199	61	27	12	12	13.04	

Continued.

DISEASES.	Under 5 Years.		5—10.		10—15.		15—25.		25—35.		35—45.		45—55.		55—65.		65—75.		75—85.		Above 85.		Total.		Grand Total.	Recovered.		Died.		Per-cent- age of Deaths.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.			
COMPOUND FRACTURES—																																
Skull, Vault.....	1	1	1	4	1	5	...	1	...	4	...	80	
Clavicle and Scapula	
Sternum and Ribs	
Humerus	1	2	...	2	1	...	1	50	
Radius and Ulna.....	
Bones of Hand	3	1	10	7	1	...	4	...	1	33	2	35	33	2	1	...	1	100	
Pelvis	1	...	1	33	
Femur	3	...	3	100	
Patella	1	...	1	100	
Tibia or Fibula	21	3	24	16	2	5	1	...	23	
Bones of Foot	3	...	3	
TOTAL	3	1	4	1	11	1	9	1	15	1	12	...	8	...	5	1	1	68	6	74	55	5	13	1	18	91		
Ununited Fractures.....																																
Mal-union of do.....	2	...	2	2	
TOTAL	1	1	4	...	4	
DISLOCATIONS, SIMPLE—																																
At Shoulder Joint	6	1	7	6	1	
" Elbow "	
" Hip "	
Of Patella	
At Ankle Joint.....	
TOTAL	1	2	1	6	...	4	...	1	1	2	15	4	19	15	4	
DISLOCATIONS, COM- POUND—																																
Of Digits, Carpal	2	...	2	
At Ankle Joint....	1	...	1	
TOTAL	3	...	3

DISEASES.	5 Years.		6-10.		10-15.		15-20.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.		Recovered.		Died.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	5 Years.		6-10.		10-15.		15-20.		25-35.		35-45.		45-55.		55-65.		65-75.		75-85.		Above 85.		Total.		Grand Total.		Recovered.		Died.	
1. Erysipelas—Admissions	2	1	1	2	1	1	6	8	5	7	4	6	4	4	3	3	1	36	26	62	35	22	1	4		
2. Do. occurring in Hospital	2	1	1	1	1	2	1	3	1	2	2	2	1	4	1	17	7	24	16	6	1	1		
3. Do. do. after Operations	1	1	2	1	1	1	1	1	5	6	11	5	4	...	2			
1. Pyæmia—Admissions	1	1	1	1	3	1	4	3	1			
2. Do. occurring in Hospital	2	...	1	...	2	5	1	6	5	1			
3. Do. do. after Operations	1	...	1	2	...	2	1	7	1	8	7	1			
1. Phagedæna—Admissions	1	...	1	1	2	...	1	...	1	4	11	15	4	11			
2. Do. occurring in Hospital	2	3	2	6	1	2	2	3	5	2	3			
3. Do. do. after Operations	1	...	1	1	1	1	2	1	1			
1. Sloughing—Admissions	2	5	2	3	1	1	2	2	2	...	1	7	14	21	7	13	...	1			
2. Do. occurring in Hospital	2	2	...	2			
3. Do. do. after Operations			
1. Gangrene—Admissions	1	1	1	1	...	1	1	...	2	...	1	1	6	4	10	5	3	1	1			
2. Do. occurring in Hospital	1	2	...	2	1	1			
3. Do. do. after Operations	1	1			
1. Diffuse Cellulitis—Admissions	2	1	1	2	16	6	10	7	14	10	15	3	6	2	3	...	2	69	31	100	65	29	4	2		
2. Do. occurring in Hospital	1	1	2	2	...	3	...	4	...	4	1	2	1	1	17	3	20	16	2	1	1		
3. Do. do. after Operations	2	1	1	2	2	1	1	1	7	7	14	5	3	2	4		
1. Tetanus—Admissions	2	1	1	3	...	3	3	1		
2. Do. occurring in Hospital			
3. Do. do. after Operations			
Fever, including Scarlatina—			
2. Do. occurring in Hospital	2	1	3	1	2	5	7	1	4	2	1			
3. Do. do. after Operations	1	1	...	1	1			
2. Acute Rheumatism—occurring in Hospital	1	2	2	...	2	...	2	...	1	7	1	8	6	1	1	...			
3. Do. do. after Operations			
2. Œdema Glottidis, Croup, Bronchitis, Pleurisy, Pneumonia—occurring in Hospital			
3. Do. do. after Operations	5	3	2	1	3	...	3	...	1	...	1	...	1	...	2	15	6	21	7	2	8	4			
2. Delirium Tremens—occurring in Hospital	1			
3. Do. do. after Operations	3	1	4	...	5	...	1	13	8	...	5	...			
3. Hæmorrhage after Operations, recurring			
Do. Secondary	1	1	1	2	3	2	...	2	1	1	...	1	9	5	14	5	5	4	3			

CAUSES OF DEATH IN SIXTY-EIGHT CASES OF DISEASE AND NINETY OF
INJURY, EXCLUSIVE OF OPERATIONS.

No. of Case.	Sex.		Age.	Nature of Disease or Injury.	Cause of Death.
1	...	F.	From 55 to 65	Erysipelas, Idiopathic	Exhaustion.
1	...	F.	" 5 to 10	Erysipelas, Traumatic	Inflam. of Membranes of Brain.
1	...	F.	" 25 to 35	" Phlegmonous	Exhaustion.
1	M.	...	" 25 to 35	Cellulitis, Idiopathic	Pyæmia, Acute.
1	...	F.	" 55 to 65	" "	Exhaustion.
1	M.	...	" 75 to 85	" "	Exhaustion.
1	...	F.	" 45 to 55	" Traumatic	Secondary Gangrene.
1	M.	...	" 55 to 65	" "	Delirium Tremens.
1	M.	...	" 65 to 75	" "	Exhaustion (Asthenia).
1	...	F.	" 65 to 75	Gangrene, Primary	Continuation of Disease.
1	...	F.	" 25 to 35	" Secondary	" "
1	M.	...	" 65 to 75	" Senile	" "
1	M.	...	" 10 to 15	Tetanus, Traumatic	" "
1	M.	...	" 25 to 35	Abscess	Rheumatic Fever, Endocarditis.
1	M.	...	" 35 to 45	"	Pyæmia, Acute.
1	M.	...	" 35 to 45	"	Exhaustion.
1	M.	...	" 45 to 55	"	"
1	M.	...	" 65 to 75	"	Laryngitis, Orthopnoea.
1	...	F.	" 25 to 35	" Chronic	Pyæmia, Chronic.
1	...	F.	" 10 to 15	" Psoas	Exhaustion.
2	M.	F.	" 15 to 25	" "	"
1	M.	...	" 10 to 15	" Pelvic	"
2	...	F.	" 15 to 25	" "	"
1	...	F.	" 65 to 75	Ulcer	Apoplexy.
1	...	F.	" 75 to 85	"	"
1	...	F.	" 65 to 75	Bed-sore	Exhaustion.
1	M.	...	" 55 to 65	Cancer (Villous) of Bladder	Continuation of Disease.
1	M.	...	" 65 to 75	" (Medullary) of Os Inno-	" "
				minatum	
1	...	F.	" 35 to 45	" (Scirrhus) of Rectum	" "
1	M.	...	" 55 to 65	" (Scirrhus) of Penis	" "
1	...	F.	" 45 to 55	" (Scirrhus) of Pylorus	" "
2	M.	F.	" 25 to 35	Struma, Disease of Joints	Phthisis.
1	...	F.	" 15 to 25	Primary Syphilis	Scarlatina.
1	...	F.	" 15 to 25	" "	Erysipelas.
1	M.	...	" 25 to 35	" "	Degeneration of Kidneys, Uræmia
1	...	F.	" 15 to 25	Secondary "	Syphilitic Cachexia.
1	...	F.	" 15 to 25	" " Sloughing Ulcer	Secondary Hæmorrhage.
1	M.	...	Under 5.	Skin Affection	Purpura.
1	M.	...	From 45 to 55	Gland Affection	Delirium Tremens.
1	...	F.	" 75 to 85	Bunion	Cellulitis (Diffuse).
1	M.	...	" 5 to 10	Necrosis, Acute	Pyæmia, Acute.
2	M.	F.	" 25 to 35	Necrosis	Phthisis.
1	...	F.	" 10 to 15	Joints (Knee), Acute Synovitis,	Phthisis.
				Rheumatic	
1	...	F.	" 15 to 25	" (do.) Chronic Disease	"
1	...	F.	" 35 to 45	" (Minor)	Pneumonia.
1	M.	...	" 65 to 75	Spinal Cord, Serous Effusion	Paraplegia, Coma.
1	...	F.	" 5 to 10		

No. of Case.	Sex.		Age.	Nature of Disease or Injury.	Cause of Death.
1	...	F.	From 65 to 75	Rectum, Stricture of	Bed-sore, Exhaustion.
1	...	F.	" 35 to 45	Hernia, Reducible	Phthisis.
1	M.	...	" 75 to 85	" Strangulated Taxis	Hæmorrhage into Intestine, Peritonitis.
1	M.	...	" 25 to 35	Urethra, Stricture of	Uræmia.
1	M.	...	" 25 to 35	" "	Extravasation, Pelvic Cellulitis, Peritonitis.
1	M.	...	" 35 to 45	" "	" Pyæmia, Chronic.
1	M.	...	" 35 to 45	" "	" Peritonitis.
1	M.	...	" 65 to 75	" "	" "
1	M.	...	" 35 to 45	" Extravasation of Urine	Uræmia.
1	M.	...	" 35 to 45	" "	Peritonitis.
1	M.	...	" 25 to 35	" "	Recurrent Hæmorrhage.
2	M.	...	" 45 to 55	" "	Exhaustion.
1	M.	...	" 45 to 55	" "	Uræmia.
1	M.	...	" 55 to 65	" "	Erysipelas.
1	M.	...	Over 85.	Prostate, Enlargement of	Continuation of Disease.
1	M.	...	From 55 to 65	Cystitis.	Uræmia.
13	M. 6.	F. 7.	Under 5	Burn and Scald	Collapse.
5	M. 2.	F. 3.	From 5 to 10	"	"
1	...	F.	" 15 to 25	"	"
1	...	F.	" 45 to 55	"	"
2	...	F.	" 55 to 65	"	"
1	...	F.	" 45 to 55	"	Exhaustion.
4	M. 3.	F. 1.	Under 5	"	Pneumonia.
2	M.	F.	From 5 to 10	"	"
1	...	F.	" 5 to 10	"	Irritative Fever.
1	...	F.	" 25 to 35	"	Tetanus.
1	M.	...	" 15 to 25	"	Delirium, Traumatic.
1	M.	...	" 25 to 35	"	" Tremens.
1	M.	...	" 55 to 65	"	"
1	...	F.	Under 5	Contusion (Abdomen)	Laceration of Intestine, Collapse.
1	M.	...	From 15 to 25	" "	" " "
1	M.	...	" 55 to 65	" "	" " "
1	M.	...	" 10 to 15	" "	" Liver. "
1	M.	...	" 15 to 25	" "	" " "
1	M.	...	" 25 to 35	" "	" " "
1	M.	...	" 65 to 75	" "	" " "
1	M.	...	" 15 to 25	Laceration of Limb	Cardiac Disease, Syncope.
1	M.	...	" 35 to 45	" "	Collapse.
1	M.	...	" 55 to 65	" "	"
3	M. 1.	F. 2.	Under 5	Concussion of Brain	"
1	M.	...	From 35 to 45	" "	"
1	M.	...	" 25 to 35	" Spinal Cord	"
1	...	F.	" 5 to 10	Fractured Skull, Vault	Inflammation of Membranes of Brain
1	M.	...	" 10 to 15	" " "	" "
1	M.	...	Under 5	" " "	" "
1	M.	...	From 15 to 25	" " "	" "
1	M.	...	" 35 to 45	" " Base	Collapse.
1	M.	...	" 45 to 55	" " "	"
2	...	F.	" 55 to 65	" " "	"
7	M.	...	" 35 to 45	" " "	Inflam. of Membranes of Brain.
1	" 55 to 65	" " "	Coma.
1	M.	...	" 15 to 25	Fractured Ribs	Emphysema, Asphyxia.
1	M.	...	" 35 to 45	" "	" "
1	M.	...	" 25 to 35	" "	Delirium Tremens.
1	M.	...	" 45 to 55	" "	" "

No. of Case.	Sex.		Age.	Nature of Disease or Injury.	Cause of Death.
1	M.	...	From 35 to 45	Fractured Ribs " " Pelvis " Long Bones of Ex- tremities	Collapse.
1	...	F.	" 55 to 65		Pneumonia.
1	...	F.	" 55 to 65		Collapse.
1	M.	...	" 75 to 85		Scarlatina.
1	...	F.	Under 5		
1	...	F.	From 5 to 10	" "	Coma.
1	M.	...	" 25 to 35	" "	Typhoid Fever.
1	M.	...	" 35 to 45	Fractured Long Bones of Ex- tremities	Delirium Tremens.
1	M.	...	" 45 to 55	{ Fractured Femur } Left } " Humerus } { Wound of Forearm, Right }	Phthisis.
1	M.	...	" 35 to 45		Collapse.
1	M. 1.	F. 2.	" 75 to 85		Cellulitis (Sloughing), Forearm
3	M.	...	" 55 to 65		Secondary Hæmorrhage.
1	M.	...	" 65 to 75		Senile Gangrene, Erysipelas.
1	M.	...	" 75 to 85	" "	Erysipelas.
1	...	F.	" 75 to 85	" "	Bed-sore.
1	M.	...	" 45 to 55	Compound Fracture, Skull-vault	Collapse.
1	M.	...	" 55 to 65		
1	M.	...	" 65 to 75		
1	M.	...	" 5 to 10		
1	M.	...	" 45 to 55		
1	M.	...	" 35 to 45	" " "	Pyæmia, Acute.
1	M.	...	" 45 to 55	" " "	Cellulitis (Sloughing).
2	M.	F.	" 45 to 55	" " "	Pneumonia.
1	...	F.	" 65 to 75	Unclassed	

SUB TABLE—COMPLICATIONS.

Complication.	Male.	Female.	Diseases or Injury.
Erysipelas	1	...	Ulcer of Leg.
	...	1	Strumous Abscess.
	...	1	Inflamed Glands.
	...	1	Suppurating Bursa.
	3	...	Necrosis.
	1	...	Contused Wound.
	7	1	Scalp wounds, 1 of Membranes of Brain.
	2	...	Wounds, 1 ditto
	1	...	Fract. Maxilla Supr.
	...	1	" Ribs.
	1	...	" Femur.
	2	1	" Tibia. 1 died, (after Senile Gangrene.)
	1	2	Amputations.
	1	3	Excisions of Tumours. 2 died.
	...	1	Removal of Bone, (living.)
	1	1	" of Sequestra.
Pyæmia	1	...	Diffuse cellulitis. Fatal.
	1	...	Abscess. Fatal.
	...	1	Chronic Abscess. Fatal.
	1	...	Stricture of Urethra and Extravasation of Urine. Fatal.
	1	...	Comp. Fract. Humerus. Fatal.
	1	...	" " Tibia. Fatal.
	2	3	Amputations. All fatal.
	2	1	Excisions of Tumours. All fatal.
Phagedæna	2	...	Suppurating Bubo.
	...	2	Syphilitic Sores.
	...	1	Excoriation from Gonorrhœa.
	1	...	Removal of Sequestra.
	...	1	Excision of Tumour—Integument from.
Gangrene	2	...	Lacerations.
	...	1	Amputation. Fatal.
Diffuse Cellular Inflammation (including suppuration and sloughing of Cellular Tissue).....	1	...	Necrosis.
	1	...	Otorrhœa.
	7	1	Scalp Wounds.
	3	1	Wounds.
	3	...	Simple Fractures.
	2	1	Comp. Fractures. Two fatal.
	4	3	Amputations.
	1	2	Herniotomy. Two fatal.
	...	1	Excision of portion of Bone. Fatal.
	1	...	Plastic Operation.
	1	1	Ligature of Artêries. 9 fatal.

Continued.

Complication.	Male.	Female.	Disease or Injury.
Tetanus	1	Burn. Fatal.
Fevers (all forms)	...	1	Prim. Syph. Fatal.
	...	2	Sec. Syph.
	2	...	Fractures. Two fatal.
	1	...	Lithotomy.
Acute Rheumatism	1	...	Abscess. Fatal.
	1	...	Stricture of Urethra.
	2	...	Fractures.
	2	...	Gonorrhœa.
	...	1	Synovitis.
	1	...	Cystitis.
Inflammations of Respiratory Or- gans	1	...	Erysipelas. Fatal.
	1	...	Diffuse Cellulitis.
	1	...	Abscess. Fatal.
	7	4	Burn and Scald. 6 fatal.
	2	...	Cut Throat. Fatal.
	1	...	Wound.
	2	2	Fract. (ribs). 2 fatal.
	...	2	Excision of Tumours.
	1	...	Operation for Harelip.
Delirium Tremens	1	...	Disease of Gland. Fatal.
	1	...	Burn. Fatal.
	1	...	Concussion.
	6	...	Simple Fractures. 2 fatal.
	4	...	Compound Fractures. 1 Fatal.
	2	...	Amputations.
Hæmorrhage, after Operations. Recurrent	4	...	Primary Amputations.
	2	4	Amputations for Disease. 1 fatal.
	1	...	Lithotomy.
	2	1	Excision of Tumours.
Secondary	1	...	Sec. Amputation. Fatal.
	2	...	Amputation for Disease. 1 fatal.
	1	...	Excision of portion of Tongue.
	1	...	Tracheotomy. Fatal.
	1	...	Ligature of Artery (for Wound).

SURGICAL OPERATIONS PERFORMED (continued).

OPERATIONS.	AGE AND SEX IN QUINQUENNIAL PERIODS.																								RESULTS.									
	Under 5 Years.		5—		10—		15—		20—		30—		40—		50—		60—		65—		70—		75 and above.		TOTAL.		Re-covered.		Relieved.		Not Relieved.		Died.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
REMOVAL OF PARTS BY LIGATURE.																																		
Navi	1	10																																
Hamorrhoids																																		
Tongue.....																																		
Other parts																																		
REMOVAL OF PARTS BY ECRASEUR																																		
LIGATURE OF ARTERIES.																																		
For Aneurism																																		
For Hemorrhage.....																																		
For other Diseases and Injuries.....																																		
OBLITERATION OF VEINS BY ISSUES																																		
" " BY LIGATURE																																		
OPHTHALMIC OPERATIONS.																																		
Extraction of Lens																																		
Dislocation																																		
" "																																		
Keratonyxis.....																																		
Artificial Pupil																																		
Strabismus																																		
Excision of Eye																																		
Other Operations on Eye																																		
REDUCTION OF DISLOCATIONS (Old)																																		
RE-FRACTURE OF BONES																																		
	22	18	20	8	25	11	27	15	45	27	45	23	33	28	28	18	13	3	6	4	5	1	2	271	158	216	126	9	5	3	6	43	21	

Males.....	271
Females.....	158
Operation once repeated	9
Do. twice do.	2
Different operation	1
	12

CAUSES OF DEATH IN SIXTY-ONE CASES OF OPERATION.

No. of Cases.	Sex.		Age.	Operation.	Cause of Death.
1	M.		20—30	Primary Amputation, Thigh	Recurrent Hæmorrhage. Collapse. 2nd day.
1	M.		40—50	" " "	Acute Pyæmia. 19th day.
1	M.		65—70	" " Leg	Recurrent Hæmorrhage. Collapse. 3rd day.
1	M.		10—15	" " Forearm	Chronic Pyæmia. 58th day.
*	M.		20—30	Secondary Amputation, Thigh	Collapse 4 hours. (Amputation for Secondary Hæmorrhage.)
1	M.		40—50	" " "	Chronic Pyæmia. 28th day.
1	M.		40—50	" " "	Phlebitis. 6th day.
2	M.		{ 20—30 } { 40—50 }	" " Leg	Epilepsy. { 28th day. 15th day.
1	M.		60—70	" " "	Grangrene. Exhaustion. 8th day.
1	M.		40—50	" " Arm	Secondary Hæmorrhage, Purpura. 13th day.
1	M.		10—15	" " Forearm	Collapse. 3 hours.
1	M.		10—15	" " Finger	Continuation of Disease (Tetanus).
1	M.		15—20	Amputation for Disease, Thigh	Acute Pyæmia. 12th day.
2	M.		{ 20—30 } { 30—40 }	" " "	Chronic Pyæmia. { 90th day. 55th day.
1	M.		20—30	" " "	Jaundice. Suppression of Urine. 30th day.
1	M.		30—40	" " "	Embolism. 20th day.
2	M.		{ 30—40 } { 40—50 }	" " "	Diarrhœa. { 14th day. 13th day.
1	F.		30—40	" " "	Bedsore. Exhaustion.
1	F.		40—50	" " "	Gangrene. 3rd day.
1	F.		40—50	" " "	Collapse. 7th day.
1	M.		70—75	Herniotomy	{ Exhaustion. { 8th day. 14th day. Female, 28th day.
2	M.	F.	over 75	"	
1	M.		30—40 }	"	Peritonitis. { Male, 3rd day, 5th day. Female, 3rd day, 3rd day.
2	M.	F.	50—60 }		
1	F.		65—70 }		
1	F.		40—50 }	"	{ Sloughing of Intestine (result of long strangulation). 2 on 1st day; 2 on 2nd day; 1 on 4th day; 1 on 7th day.
2	M.	F.	60—65 }		
3	M. 2	F.	65—70 }		
1	F.		30—40 }	"	Sloughing about Wound { 4th day. 12th day.
1	F.		50—60 }		
1	F.		65—70 }		
1	M.		65—70 }	"	Bronchitis. 1st day. { Continuation of Symptoms. 1 on 1st day; 1 on 3rd day; 1 on 7th day. (No post-mortem Exam.)
1	F.		30—40 }		
1	F.		50—60 }		
1	F.		70—75 }	"	Cystitis (acute). 4th day. Erysipelas. Acute Pyæmia. 21st day. Erysipelas. Pleuro-pneumonia. 15th day.
1	M.		55—60 }		
1	F.		40—50 }		
1	F.		50—60 }	"	Bronchitis. 5th day. Secondary Hæmorrhage. (Second Amputation.)
1	F.		65—70 }		
*1	M.		20—30 }		
1	M.		10—15	Ligature of Tumour	Recurrent Hæmorrhage. Collapse. 3rd day.
1	M.		20—30	Excision and Trephining of Bone.	Continued Hæmorrhage. Laceration of Brain.
				Ditto of Skull	1st day.
1	M.		30—40	" " Clavicle	Acute Pyæmia. 12th day.
1	M.		30—40	" " Inferior Maxilla (part)	Acute Pyæmia. 17th day.
1	M.		under 5	Tracheotomy	Secondary Hæmorrhage. 7th day. Asphyxia.
1	M.		5—10	"	Bronchitis, (Diphtheritic.)
1	M.	F.	5—10	"	Asphyxia.
1	M.		30—40	"	Exhaustion. 6th day.
1	M.	F.	20—30	Ovariectomy	Peritonitis. 3rd day.
1	F.		30—40	Cæsarean Section	Collapse. 12 hours.
1	M.		under 5	Plastic. Hare-lip	Croop. 8th day.
1	M.		10—15	" Cæcal Fistulæ	Cellulitis (sloughing). 6th day.
1	M.		30—40	Paracentesis Thoracis	Bronchitis.
1	M.	F.	70—75	Ligature of Radial Artery	Cellulitis (suppuration.) Exhaustion. 17th day.
1	M.		50—60	Division of Nerve	Continuation of Disease (Tetanus).

* Refer to the same Patient.